

Report of Electromagnetic Model

Date	Sep 28, 2017 9:38:21 PM
------	-------------------------

Contents

1. Model 1 (mod1)	3
1.1. Definitions	3
1.2. Geometry 1	3
1.3. Materials	6
1.4. Magnetic and Electric Fields (mef).....	16
1.5. Mesh 1.....	74
2. Study 1	78
2.1. Frequency Domain	78
2.2. Solver Configurations.....	78
3. Results.....	82
3.1. Data Sets	82
3.2. Derived Values	82
3.3. Tables	83
3.4. Plot Groups	84

1 Model 1 (mod1)

1.1 Definitions

1.1.1 Selections

Explicit 1

Selection type
Explicit

Selection
No boundaries

1.1.2 Coordinate Systems


Boundary System 1

Coordinate system type	Boundary system
Identifier	sys1

Settings

Name	Value
Coordinate names	{t1, t2, n}
Create first tangent direction from	Global Cartesian

1.2 Geometry 1



Geometry 1

Units

Length unit	m
Angular unit	deg

Geometry statistics

Property	Value
Space dimension	3
Number of domains	5
Number of boundaries	31
Number of edges	61
Number of vertices	38

1.2.1 Block 1 (blk1)

Position

Name	Value
Position	{0, 0.0125, 0}

Axis

Name	Value
Axis type	Cartesian

Size and shape

Name	Value
Size	{0.0125, 0.02, 0.14}

1.2.2 kulka (blk2)

Position

Name	Value
Position	{0, 0, 0.11}

Size and shape

Name	Value
Size	{0.0125, 0.0125, 0.01}

1.2.3 varztas (cyl1)

Position

Name	Value
Position	{0.0275, 0, 0.01875}

Axis

Name	Value
Axis type	y - axis
Radius	0.009
Height	0.1

1.2.4 vrztas2 (cyl2)

Position

Name	Value
Position	{0.0275, 0, 0.09375}

Axis

Name	Value
Axis type	y - axis
Radius	0.009
Height	0.1

1.2.5 Cylinder 3 (cyl3)

Position

Name	Value
Position	{0, 0, 0}

Axis

Name	Value
Radius	0.13
Height	0.18

1.2.6 Block 3 (blk3)

Position

Name	Value
Position	{-0.13, -0.13, 0}

Size and shape

Name	Value
Size	{0.13, 0.26, 0.2}

1.2.7 Block 4 (blk4)

Position


Name	Value
Position	{0, -0.13, 0}

Size and shape

Name	Value
Size	{0.13, 0.13, 0.2}

1.3 Materials

1.3.1 Copper



Copper

Selection

Geometric entity level	Domain
Selection	Domains 2–3

Material parameters

Name	Value	Unit
Relative permeability	1	1
Electrical conductivity	5.998e7[S/m]	S/m
Relative permittivity	1	1

Basic Settings


Description	Value
Relative permeability	{{1, 0, 0}, {0, 1, 0}, {0, 0, 1}}

Description	Value
Electrical conductivity	{{5.998e7[S/m], 0, 0}, {0, 5.998e7[S/m], 0}, {0, 0, 5.998e7[S/m]}}
Heat capacity at constant pressure	385[J/(kg*K)]
Relative permittivity	{{1, 0, 0}, {0, 1, 0}, {0, 0, 1}}
Surface emissivity	0.49
Density	8700[kg/m^3]
Thermal conductivity	{{400[W/(m*K)], 0, 0}, {0, 400[W/(m*K)], 0}, {0, 0, 400[W/(m*K)]}}

Linearized resistivity Settings

Description	Value
Reference resistivity	1.72e-8[ohm*m]
Resistivity temperature coefficient	3.9e-3[1/K]
Reference temperature	273.15[K]

1.3.2 Air



Air

Selection

Geometric entity level	Domain
Selection	Domain 1

Material parameters

Name	Value	Unit
------	-------	------


Name	Value	Unit
Electrical conductivity	0.000000000000008[S/m]	S/m
Relative permittivity	1	1
Relative permeability	1	1

Basic Settings


Description	Value
Dynamic viscosity	$\eta(T[1/K])[\text{Pa}\cdot\text{s}]$
Ratio of specific heats	1.4
Electrical conductivity	$\{ \{0.000000000000008[\text{S/m}], 0, 0\}, \{0, 0.000000000000008[\text{S/m}], 0\}, \{0, 0, 0.000000000000008[\text{S/m}]\} \}$
Heat capacity at constant pressure	$C_p(T[1/K])[\text{J}/(\text{kg}\cdot\text{K})]$
Density	$\rho(p_A[1/\text{Pa}], T[1/K])[\text{kg}/\text{m}^3]$
Thermal conductivity	$\{ \{k(T[1/K])[\text{W}/(\text{m}\cdot\text{K})], 0, 0\}, \{0, k(T[1/K])[\text{W}/(\text{m}\cdot\text{K})], 0\}, \{0, 0, k(T[1/K])[\text{W}/(\text{m}\cdot\text{K})]\} \}$
Speed of sound	$c_s(T[1/K])[\text{m}/\text{s}]$
Relative permittivity	$\{ \{1, 0, 0\}, \{0, 1, 0\}, \{0, 0, 1\} \}$
Relative permeability	$\{ \{1, 0, 0\}, \{0, 1, 0\}, \{0, 0, 1\} \}$

Functions


Function name	Type
η	Piecewise
C_p	Piecewise
ρ	Analytic
k	Piecewise
c_s	Analytic




eta



Cp



k




cs

Electrolyte conductivity Settings

Description	Value
Electrolyte conductivity	{{0, 0, 0}, {0, 0, 0}, {0, 0, 0}}

1.3.3 UNS S30615 (UNS S30615) [solid]



UNS S30615 (UNS S30615) [solid]

Selection

Geometric entity level	Domain
Selection	Domains 4–5

Material parameters

Name	Value	Unit
Electrical conductivity	10000000	S/m
Relative permeability	1	1
Relative permittivity	1	1


Basic Settings

Description	Value
dL	$(dL(T[1/K]) - dL(Tempref[1/K]))/(1 + dL(Tempref[1/K]))$
CTE	$CTE(T[1/K])[1/K]$
Thermal conductivity	$\{\{k(T[1/K])[W/(m*K)], 0, 0\}, \{0, k(T[1/K])[W/(m*K)], 0\}, \{0, 0, k(T[1/K])[W/(m*K)]\}\}$
Syt	$Syt(T[1/K])[Pa]$
Coefficient of thermal expansion	$\{\{(\alpha(T[1/K])[1/K] + (Tempref - 293[K])*if(abs(T - Tempref) > 1e-3, (\alpha(T[1/K])[1/K] - \alpha(Tempref[1/K])[1/K])/(T - Tempref), d(\alpha(T[1/K]), T)[1/K]))/(1 + \alpha(Tempref[1/K])[1/K]*(Tempref - 293[K])), 0, 0\}, \{0, (\alpha(T[1/K])[1/K] + (Tempref - 293[K])*if(abs(T - Tempref) > 1e-3, (\alpha(T[1/K])[1/K] - \alpha(Tempref[1/K])[1/K])/(T - Tempref), d(\alpha(T[1/K]), T)[1/K]))/(1 + \alpha(Tempref[1/K])[1/K]*(Tempref - 293[K])), 0, 0\}, \{0, (\alpha(T[1/K])[1/K] + (Tempref - 293[K])*if(abs(T - Tempref) > 1e-3, (\alpha(T[1/K])[1/K] - \alpha(Tempref[1/K])[1/K])/(T - Tempref), d(\alpha(T[1/K]), T)[1/K]))/(1 + \alpha(Tempref[1/K])[1/K]*(Tempref - 293[K]))\}\}$


Description	Value
	$\alpha(\text{Tempref}[1/K])[1/K]/(T - \text{Tempref}), d(\alpha(T[1/K]), T)[1/K])/(1 + \alpha(\text{Tempref}[1/K])[1/K]*(\text{Tempref} - 293[K])), 0\}, \{0, 0, (\alpha(T[1/K])[1/K] + (\text{Tempref} - 293[K])*if(abs(T - \text{Tempref}) > 1e-3, (\alpha(T[1/K])[1/K] - \alpha(\text{Tempref}[1/K])[1/K])/(T - \text{Tempref}), d(\alpha(T[1/K]), T)[1/K])/(1 + \alpha(\text{Tempref}[1/K])[1/K]*(\text{Tempref} - 293[K]))\}$
Density	7850
Electrical conductivity	{{10000000, 0, 0}, {0, 10000000, 0}, {0, 0, 10000000}}
Relative permeability	{{1, 0, 0}, {0, 1, 0}, {0, 0, 1}}
Relative permittivity	{{1, 0, 0}, {0, 1, 0}, {0, 0, 1}}

Functions


Function name	Type
dL	Piecewise
CTE	Piecewise
k	Piecewise
Syt	Piecewise
alpha	Piecewise
rho	Piecewise




dL




CTE




k



Syt



alpha




ρ

Young's modulus and Poisson's ratio Settings

Description	Value
Young's modulus	205000000000
Poisson's ratio	0.3


Functions

Function name	Type
E	Piecewise



E

1.4 Magnetic and Electric Fields (mef)



Magnetic and Electric Fields

Selection

Geometric entity level	Domain
Selection	Domains 1–5

Equations

$$\nabla \cdot \mathbf{J} = 0$$

$$\nabla \times \mathbf{H} = \mathbf{J}$$

$$\mathbf{J} = \sigma \mathbf{E} + j\omega \mathbf{D} + \mathbf{J}_e$$

$$\mathbf{E} = -\nabla V - j\omega \mathbf{A}$$

$$\mathbf{B} = \nabla \times \mathbf{A}$$


Settings

Description	Value
Magnetic vector potential	Quadratic
Electric potential	Quadratic
Value type when using splitting of complex variables	{Complex, Complex}
Equation form	Study controlled
Solve for	Full field
Activate input sweep	0
Reference impedance	50[ohm]
Show equation assuming	std1/freq

Used products

COMSOL Multiphysics
AC/DC Module

1.4.1 Ampère's Law and Current Conservation 1



Ampère's Law and Current Conservation 1

Selection

Geometric entity level	Domain
Selection	Domains 1–5

Equations

$$(j\omega\sigma - \omega^2\epsilon_0\epsilon_r)\mathbf{A} + \nabla \times (\mu_0^{-1}\mu_r^{-1}\mathbf{B}) - \sigma\mathbf{v} \times \mathbf{B} = \mathbf{J}_e$$

$$\mathbf{B} = \nabla \times \mathbf{A}$$

$$\nabla \cdot \mathbf{J} = 0$$

$$\mathbf{D} = \epsilon_0\epsilon_r\mathbf{E}$$

Settings

Settings

Description	Value
Electrical conductivity	From material
Electrical conductivity	{{0, 0, 0}, {0, 0, 0}, {0, 0, 0}}
Constitutive relation	Relative permittivity
Relative permittivity	From material
Relative permittivity	{{1, 0, 0}, {0, 1, 0}, {0, 0, 1}}

Description	Value
Constitutive relation	Relative permeability
Relative permeability	From material
Relative permeability	{{1, 0, 0}, {0, 1, 0}, {0, 0, 1}}
Temperature	User defined
Temperature	273.15[K]

Properties from material

Property	Material	Property group
Electrical conductivity	Copper	Basic
Relative permittivity	Copper	Basic
Relative permeability	Copper	Basic
Electrical conductivity	Air	Basic
Relative permittivity	Air	Basic
Relative permeability	Air	Basic
Electrical conductivity	UNS S30615 (UNS S30615) [solid]	Basic
Relative permittivity	UNS S30615 (UNS S30615) [solid]	Basic
Relative permeability	UNS S30615 (UNS S30615) [solid]	Basic

Variables

Name	Expression	Unit	Description	Selection
mef.unTex	- $0.5 * \text{mef.dnx} * (\text{real}(\text{up}(\text{mef.Dx})) * \text{real}(\text{up}(\text{mef.Ex})) + \text{real}(\text{up}(\text{mef.Dy})) * \text{real}(\text{up}(\text{mef.Ey})) + \text{real}(\text{up}(\text{mef.Dz})) * \text{real}(\text{up}(\text{mef.Ez}))) + \text{real}(\text{up}(\text{mef.Dx})) * (\text{real}(\text{up}(\text{mef.Ex})) * \text{mef.dnx} + \text{real}(\text{up}(\text{mef.Ey})) * \text{mef.dny} + \text{real}(\text{up}(\text{mef.Ez})) * \text{mef.dnz})$	Pa	Maxwell upward electric surface stress tensor, x component	Boundaries 6, 8, 11, 13–16, 18–19
mef.unTey	- $0.5 * \text{mef.dny} * (\text{real}(\text{up}(\text{mef.Dx})) * \text{real}(\text{up}(\text{mef.Ex})) + \text{real}(\text{up}(\text{mef.Dy})) * \text{real}(\text{up}(\text{mef.Ey})) + \text{real}(\text{up}(\text{mef.Dz})) * \text{real}(\text{up}(\text{mef.Ez}))) + \text{real}(\text{up}(\text{mef.Dy})) * (\text{real}(\text{up}(\text{mef.Ex})) * \text{mef.dnx} + \text{real}(\text{up}(\text{mef.Ey})) * \text{mef.dny} + \text{real}(\text{up}(\text{mef.Ez})) * \text{mef.dnz})$	Pa	Maxwell upward electric surface stress tensor, y component	Boundaries 6, 8, 11, 13–16, 18–19

Name	Expression	Unit	Description	Selection
	mef.dnz)			
mef.unTez	- 0.5*mef.dnz*(real(up(mef.Dx))*real(up(mef.Ex))+real(up(mef.Dy))*real(up(mef.Ey))+real(up(mef.Dz))*real(up(mef.Ez)))+real(up(mef.Dz))*(real(up(mef.Ex))*mef.dnx+real(up(mef.Ey))*mef.dny+real(up(mef.Ez))*mef.dnz)	Pa	Maxwell upward electric surface stress tensor, z component	Boundaries 6, 8, 11, 13–16, 18–19
mef.unTex	- 0.5*mef.dnx*(real(up(mef.Dx))*real(up(mef.Ex))+real(up(mef.Dy))*real(up(mef.Ey))+real(up(mef.Dz))*real(up(mef.Ez)))+real(up(mef.Dx))*(real(up(mef.Ex))*mef.dnx+real(up(mef.Ey))*mef.dny+real(up(mef.Ez))*mef.dnz)	Pa	Maxwell upward electric surface stress tensor, x component	Boundaries 20–21, 23–24, 26–31
mef.unTey	- 0.5*mef.dny*(real(up(mef.Dx))*real(up(mef.Ex))+real(up(mef.Dy))*real(up(mef.Ey))+real(up(mef.Dz))*real(up(mef.Ez)))+real(up(mef.Dy))*(real(up(mef.Ex))*mef.dnx+real(up(mef.Ey))*mef.dny+real(up(mef.Ez))*mef.dnz)	Pa	Maxwell upward electric surface stress tensor, y component	Boundaries 20–21, 23–24, 26–31
mef.unTez	- 0.5*mef.dnz*(real(up(mef.Dx))*real(up(mef.Ex))+real(up(mef.Dy))*real(up(mef.Ey))+real(up(mef.Dz))*real(up(mef.Ez)))+real(up(mef.Dz))*(real(up(mef.Ex))*mef.dnx+real(up(mef.Ey))*mef.dny+real(up(mef.Ez))*mef.dnz)	Pa	Maxwell upward electric surface stress tensor, z component	Boundaries 20–21, 23–24, 26–31
mef.dnTex	- 0.5*mef.unx*(real(down(mef.Dx))*real(down(mef.E	Pa	Maxwell downward electric surface stress tensor, x	Boundaries 6, 8, 11, 13–16, 18–19

Name	Expression	Unit	Description	Selection
	$x)) + \text{real}(\text{down}(\text{mef.Dy})) * \text{real}(\text{down}(\text{mef.Ey})) + \text{real}(\text{down}(\text{mef.Dz})) * \text{real}(\text{down}(\text{mef.Ez})) + \text{real}(\text{down}(\text{mef.Dx})) * (\text{real}(\text{down}(\text{mef.Ex})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Ey})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Ez})) * \text{mef.unz})$		component	
mef.dnTey	$- 0.5 * \text{mef.uny} * (\text{real}(\text{down}(\text{mef.Dx})) * \text{real}(\text{down}(\text{mef.Ex})) + \text{real}(\text{down}(\text{mef.Dy})) * \text{real}(\text{down}(\text{mef.Ey})) + \text{real}(\text{down}(\text{mef.Dz})) * \text{real}(\text{down}(\text{mef.Ez})) + \text{real}(\text{down}(\text{mef.Dy})) * (\text{real}(\text{down}(\text{mef.Ex})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Ey})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Ez})) * \text{mef.unz})$	Pa	Maxwell downward electric surface stress tensor, y component	Boundaries 6, 8, 11, 13–16, 18–19
mef.dnTez	$- 0.5 * \text{mef.unz} * (\text{real}(\text{down}(\text{mef.Dx})) * \text{real}(\text{down}(\text{mef.Ex})) + \text{real}(\text{down}(\text{mef.Dy})) * \text{real}(\text{down}(\text{mef.Ey})) + \text{real}(\text{down}(\text{mef.Dz})) * \text{real}(\text{down}(\text{mef.Ez})) + \text{real}(\text{down}(\text{mef.Dz})) * (\text{real}(\text{down}(\text{mef.Ex})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Ey})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Ez})) * \text{mef.unz})$	Pa	Maxwell downward electric surface stress tensor, z component	Boundaries 6, 8, 11, 13–16, 18–19
mef.dnTex	$- 0.5 * \text{mef.unx} * (\text{real}(\text{down}(\text{mef.Dx})) * \text{real}(\text{down}(\text{mef.Ex})) + \text{real}(\text{down}(\text{mef.Dy})) * \text{real}(\text{down}(\text{mef.Ey})) + \text{real}(\text{down}(\text{mef.Dz})) * \text{real}(\text{down}(\text{mef.Ez})) + \text{real}(\text{down}(\text{mef.Dx})) * (\text{real}(\text{down}(\text{mef.Ex})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Ey})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Ez})) * \text{mef.unz})$	Pa	Maxwell downward electric surface stress tensor, x component	Boundaries 20–21, 23–24, 26–31
mef.dnTey	$- 0.5 * \text{mef.uny} * (\text{real}(\text{down}(\text{mef.Dx})) * \text{real}(\text{down}(\text{mef.Ex})) + \text{real}(\text{down}(\text{mef.Dy})) * \text{real}(\text{down}(\text{mef.Ey})) + \text{real}(\text{down}(\text{mef.Dz})) * \text{real}(\text{down}(\text{mef.Ez})) + \text{real}(\text{down}(\text{mef.Dy})) * (\text{real}(\text{down}(\text{mef.Ex})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Ey})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Ez})) * \text{mef.unz})$	Pa	Maxwell downward electric surface stress tensor, y	Boundaries 20–21, 23–24, 26–31

Name	Expression	Unit	Description	Selection
	al(down(mef.Ey))+real(down(mef.Dz))*real(down(mef.Ez))+real(down(mef.Dy))*(real(down(mef.Ex))*mef.unx+real(down(mef.Ey))*mef.uny+real(down(mef.Ez))*mef.unz)		component	
mef.dnTez	- 0.5*mef.unz*(real(down(mef.Dx))*real(down(mef.Ex))+real(down(mef.Dy))*real(down(mef.Ey))+real(down(mef.Dz))*real(down(mef.Ez))+real(down(mef.Dz))*(real(down(mef.Ex))*mef.unx+real(down(mef.Ey))*mef.uny+real(down(mef.Ez))*mef.unz)	Pa	Maxwell downward electric surface stress tensor, z component	Boundaries 20–21, 23–24, 26–31
mef.dnTex	- 0.5*mef.unx*(real(down(mef.Dx))*real(down(mef.Ex))+real(down(mef.Dy))*real(down(mef.Ey))+real(down(mef.Dz))*real(down(mef.Ez))+real(down(mef.Dx))*(real(down(mef.Ex))*mef.unx+real(down(mef.Ey))*mef.uny+real(down(mef.Ez))*mef.unz)	Pa	Maxwell downward electric surface stress tensor, x component	Boundaries 4–5, 10, 12
mef.dnTey	- 0.5*mef.uny*(real(down(mef.Dx))*real(down(mef.Ex))+real(down(mef.Dy))*real(down(mef.Ey))+real(down(mef.Dz))*real(down(mef.Ez))+real(down(mef.Dy))*(real(down(mef.Ex))*mef.unx+real(down(mef.Ey))*mef.uny+real(down(mef.Ez))*mef.unz)	Pa	Maxwell downward electric surface stress tensor, y component	Boundaries 4–5, 10, 12
mef.dnTez	- 0.5*mef.unz*(real(down(mef.Dx))*real(down(mef.Ex))+real(down(mef.Dy))*real(down(mef.Ey))+real(do	Pa	Maxwell downward electric surface stress tensor, z component	Boundaries 4–5, 10, 12

Name	Expression	Unit	Description	Selection
	$\text{wn}(\text{mef.Dz}) * \text{real}(\text{down}(\text{mef.Ez})) + \text{real}(\text{down}(\text{mef.Dz})) * (\text{real}(\text{down}(\text{mef.Ex})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Ey})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Ez})) * \text{mef.unz})$			
mef.dnTex	- $0.5 * \text{mef.unx} * (\text{real}(\text{down}(\text{mef.Dx})) * \text{real}(\text{down}(\text{mef.Ex})) + \text{real}(\text{down}(\text{mef.Dy})) * \text{real}(\text{down}(\text{mef.Ey})) + \text{real}(\text{down}(\text{mef.Dz})) * \text{real}(\text{down}(\text{mef.Ez}))) + \text{real}(\text{down}(\text{mef.Dx})) * (\text{real}(\text{down}(\text{mef.Ex})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Ey})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Ez})) * \text{mef.unz})$	Pa	Maxwell downward electric surface stress tensor, x component	Boundaries 1–3, 7, 9, 17
mef.dnTey	- $0.5 * \text{mef.uny} * (\text{real}(\text{down}(\text{mef.Dx})) * \text{real}(\text{down}(\text{mef.Ex})) + \text{real}(\text{down}(\text{mef.Dy})) * \text{real}(\text{down}(\text{mef.Ey})) + \text{real}(\text{down}(\text{mef.Dz})) * \text{real}(\text{down}(\text{mef.Ez}))) + \text{real}(\text{down}(\text{mef.Dy})) * (\text{real}(\text{down}(\text{mef.Ex})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Ey})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Ez})) * \text{mef.unz})$	Pa	Maxwell downward electric surface stress tensor, y component	Boundaries 1–3, 7, 9, 17
mef.dnTez	- $0.5 * \text{mef.unz} * (\text{real}(\text{down}(\text{mef.Dx})) * \text{real}(\text{down}(\text{mef.Ex})) + \text{real}(\text{down}(\text{mef.Dy})) * \text{real}(\text{down}(\text{mef.Ey})) + \text{real}(\text{down}(\text{mef.Dz})) * \text{real}(\text{down}(\text{mef.Ez}))) + \text{real}(\text{down}(\text{mef.Dz})) * (\text{real}(\text{down}(\text{mef.Ex})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Ey})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Ez})) * \text{mef.unz})$	Pa	Maxwell downward electric surface stress tensor, z component	Boundaries 1–3, 7, 9, 17
mef.dnTex	- $0.5 * \text{mef.unx} * (\text{real}(\text{down}(\text{mef.Dx})) * \text{real}(\text{down}(\text{mef.Ex})) + \text{real}(\text{down}(\text{mef.Dy})) * \text{real}(\text{down}(\text{mef.Ey})) + \text{real}(\text{down}(\text{mef.Dz})) * \text{real}(\text{down}(\text{mef.Ez}))) + \text{real}(\text{down}(\text{mef.Dx})) * (\text{real}(\text{down}(\text{mef.Ex})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Ey})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Ez})) * \text{mef.unz})$	Pa	Maxwell downward electric surface stress tensor, x component	Boundaries 22, 25

Name	Expression	Unit	Description	Selection
	ef.Ez)))+real(down(mef.Dx))*(real(down(mef.Ex))*mef.unx+real(down(mef.Ey))*mef.uny+real(down(mef.Ez))*mef.unz)			
mef.dnTey	- 0.5*mef.uny*(real(down(mef.Dx))*real(down(mef.Ex))+real(down(mef.Dy))*real(down(mef.Ey))+real(down(mef.Dz))*real(down(mef.Ez)))+real(down(mef.Dy))*(real(down(mef.Ex))*mef.unx+real(down(mef.Ey))*mef.uny+real(down(mef.Ez))*mef.unz)	Pa	Maxwell downward electric surface stress tensor, y component	Boundaries 22, 25
mef.dnTez	- 0.5*mef.unz*(real(down(mef.Dx))*real(down(mef.Ex))+real(down(mef.Dy))*real(down(mef.Ey))+real(down(mef.Dz))*real(down(mef.Ez)))+real(down(mef.Dz))*(real(down(mef.Ex))*mef.unx+real(down(mef.Ey))*mef.uny+real(down(mef.Ez))*mef.unz)	Pa	Maxwell downward electric surface stress tensor, z component	Boundaries 22, 25
mef.unTmx	- 0.5*mef.dnx*(real(up(mef.Bx))*real(up(mef.Hx))+real(up(mef.By))*real(up(mef.Hy))+real(up(mef.Bz))*real(up(mef.Hz)))+real(up(mef.Bx))*(real(up(mef.Hx))*mef.dnx+real(up(mef.Hy))*mef.dny+real(up(mef.Hz))*mef.dnz)	Pa	Maxwell upward magnetic surface stress tensor, x component	Boundaries 6, 8, 11, 13–16, 18–19
mef.unTmy	- 0.5*mef.dny*(real(up(mef.Bx))*real(up(mef.Hx))+real(up(mef.By))*real(up(mef.Hy))+real(up(mef.Bz))*real(up(mef.Hz)))+real(up(mef.By))*(real(up(mef.Hx))*mef.dnx+real(up(mef.Hy))*	Pa	Maxwell upward magnetic surface stress tensor, y component	Boundaries 6, 8, 11, 13–16, 18–19

Name	Expression	Unit	Description	Selection
	mef.dny+real(up(mef.Hz)) *mef.dnz)			
mef.unTmz	- 0.5*mef.dnz*(real(up(mef. Bx))*real(up(mef.Hx))+real (up(mef.By))*real(up(mef. Hy))+real(up(mef.Bz))*real (up(mef.Hz)))+real(up(mef .Bz))*(real(up(mef.Hx))*m ef.dnx+real(up(mef.Hy))* mef.dny+real(up(mef.Hz)) *mef.dnz)	Pa	Maxwell upward magnetic surface stress tensor, z component	Boundaries 6, 8, 11, 13–16, 18–19
mef.unTmx	- 0.5*mef.dnx*(real(up(mef .Bx))*real(up(mef.Hx))+rea l(up(mef.By))*real(up(mef. Hy))+real(up(mef.Bz))*real (up(mef.Hz)))+real(up(mef .Bx))*(real(up(mef.Hx))*m ef.dnx+real(up(mef.Hy))* mef.dny+real(up(mef.Hz)) *mef.dnz)	Pa	Maxwell upward magnetic surface stress tensor, x component	Boundaries 20–21, 23– 24, 26–31
mef.unTmy	- 0.5*mef.dny*(real(up(mef .Bx))*real(up(mef.Hx))+rea l(up(mef.By))*real(up(mef. Hy))+real(up(mef.Bz))*real (up(mef.Hz)))+real(up(mef .By))*(real(up(mef.Hx))*m ef.dnx+real(up(mef.Hy))* mef.dny+real(up(mef.Hz)) *mef.dnz)	Pa	Maxwell upward magnetic surface stress tensor, y component	Boundaries 20–21, 23– 24, 26–31
mef.unTmz	- 0.5*mef.dnz*(real(up(mef. Bx))*real(up(mef.Hx))+real (up(mef.By))*real(up(mef. Hy))+real(up(mef.Bz))*real (up(mef.Hz)))+real(up(mef .Bz))*(real(up(mef.Hx))*m ef.dnx+real(up(mef.Hy))* mef.dny+real(up(mef.Hz)) *mef.dnz)	Pa	Maxwell upward magnetic surface stress tensor, z component	Boundaries 20–21, 23– 24, 26–31
mef.dnTmx	- 0.5*mef.unx*(real(down(	Pa	Maxwell downward magnetic surface	Boundaries 6, 8, 11, 13–16,

Name	Expression	Unit	Description	Selection
	$\text{mef.Bx}) * \text{real}(\text{down}(\text{mef.Hx})) + \text{real}(\text{down}(\text{mef.By})) * \text{real}(\text{down}(\text{mef.Hy})) + \text{real}(\text{down}(\text{mef.Bz})) * \text{real}(\text{down}(\text{mef.Hz})) + \text{real}(\text{down}(\text{mef.Bx})) * (\text{real}(\text{down}(\text{mef.Hx})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Hy})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Hz})) * \text{mef.unz})$		stress tensor, x component	18–19
mef.dnTmy	- $0.5 * \text{mef.uny} * (\text{real}(\text{down}(\text{mef.Bx})) * \text{real}(\text{down}(\text{mef.Hx})) + \text{real}(\text{down}(\text{mef.By})) * \text{real}(\text{down}(\text{mef.Hy})) + \text{real}(\text{down}(\text{mef.Bz})) * \text{real}(\text{down}(\text{mef.Hz})) + \text{real}(\text{down}(\text{mef.By})) * (\text{real}(\text{down}(\text{mef.Hx})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Hy})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Hz})) * \text{mef.unz})$	Pa	Maxwell downward magnetic surface stress tensor, y component	Boundaries 6, 8, 11, 13–16, 18–19
mef.dnTmz	- $0.5 * \text{mef.unz} * (\text{real}(\text{down}(\text{mef.Bx})) * \text{real}(\text{down}(\text{mef.Hx})) + \text{real}(\text{down}(\text{mef.By})) * \text{real}(\text{down}(\text{mef.Hy})) + \text{real}(\text{down}(\text{mef.Bz})) * \text{real}(\text{down}(\text{mef.Hz})) + \text{real}(\text{down}(\text{mef.Bz})) * (\text{real}(\text{down}(\text{mef.Hx})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Hy})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Hz})) * \text{mef.unz})$	Pa	Maxwell downward magnetic surface stress tensor, z component	Boundaries 6, 8, 11, 13–16, 18–19
mef.dnTmx	- $0.5 * \text{mef.unx} * (\text{real}(\text{down}(\text{mef.Bx})) * \text{real}(\text{down}(\text{mef.Hx})) + \text{real}(\text{down}(\text{mef.By})) * \text{real}(\text{down}(\text{mef.Hy})) + \text{real}(\text{down}(\text{mef.Bz})) * \text{real}(\text{down}(\text{mef.Hz})) + \text{real}(\text{down}(\text{mef.Bx})) * (\text{real}(\text{down}(\text{mef.Hx})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Hy})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Hz})) * \text{mef.unz})$	Pa	Maxwell downward magnetic surface stress tensor, x component	Boundaries 20–21, 23–24, 26–31
mef.dnTmy	- $0.5 * \text{mef.uny} * (\text{real}(\text{down}(\text{mef.Bx})) * \text{real}(\text{down}(\text{mef.Hx})) + \text{real}(\text{down}(\text{mef.By})) * \text{real}(\text{down}(\text{mef.Hy})) + \text{real}(\text{down}(\text{mef.Bz})) * \text{real}(\text{down}(\text{mef.Hz})) + \text{real}(\text{down}(\text{mef.By})) * (\text{real}(\text{down}(\text{mef.Hx})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Hy})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Hz})) * \text{mef.unz})$	Pa	Maxwell downward magnetic surface stress tensor, y component	Boundaries 20–21, 23–24, 26–31

Name	Expression	Unit	Description	Selection
	$x)) + \text{real}(\text{down}(\text{mef.By})) * \text{real}(\text{down}(\text{mef.Hy})) + \text{real}(\text{down}(\text{mef.Bz})) * \text{real}(\text{down}(\text{mef.Hz})) + \text{real}(\text{down}(\text{mef.By})) * (\text{real}(\text{down}(\text{mef.Hx})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Hy})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Hz})) * \text{mef.unz})$		component	24, 26–31
mef.dnTmz	$- 0.5 * \text{mef.unz} * (\text{real}(\text{down}(\text{mef.Bx})) * \text{real}(\text{down}(\text{mef.Hx})) + \text{real}(\text{down}(\text{mef.By})) * \text{real}(\text{down}(\text{mef.Hy})) + \text{real}(\text{down}(\text{mef.Bz})) * \text{real}(\text{down}(\text{mef.Hz})) + \text{real}(\text{down}(\text{mef.Bz})) * (\text{real}(\text{down}(\text{mef.Hx})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Hy})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Hz})) * \text{mef.unz})$	Pa	Maxwell downward magnetic surface stress tensor, z component	Boundaries 20–21, 23–24, 26–31
mef.dnTmx	$- 0.5 * \text{mef.unx} * (\text{real}(\text{down}(\text{mef.Bx})) * \text{real}(\text{down}(\text{mef.Hx})) + \text{real}(\text{down}(\text{mef.By})) * \text{real}(\text{down}(\text{mef.Hy})) + \text{real}(\text{down}(\text{mef.Bz})) * \text{real}(\text{down}(\text{mef.Hz})) + \text{real}(\text{down}(\text{mef.Bx})) * (\text{real}(\text{down}(\text{mef.Hx})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Hy})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Hz})) * \text{mef.unz})$	Pa	Maxwell downward magnetic surface stress tensor, x component	Boundaries 4–5, 10, 12
mef.dnTmy	$- 0.5 * \text{mef.uny} * (\text{real}(\text{down}(\text{mef.Bx})) * \text{real}(\text{down}(\text{mef.Hx})) + \text{real}(\text{down}(\text{mef.By})) * \text{real}(\text{down}(\text{mef.Hy})) + \text{real}(\text{down}(\text{mef.Bz})) * \text{real}(\text{down}(\text{mef.Hz})) + \text{real}(\text{down}(\text{mef.By})) * (\text{real}(\text{down}(\text{mef.Hx})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Hy})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Hz})) * \text{mef.unz})$	Pa	Maxwell downward magnetic surface stress tensor, y component	Boundaries 4–5, 10, 12
mef.dnTmz	$- 0.5 * \text{mef.unz} * (\text{real}(\text{down}(\text{mef.Bx})) * \text{real}(\text{down}(\text{mef.Hx})) + \text{real}(\text{down}(\text{mef.By})) * \text{real}(\text{down}(\text{mef.Hy})) + \text{real}(\text{down}(\text{mef.Bz})) * \text{real}(\text{down}(\text{mef.Hz})) + \text{real}(\text{down}(\text{mef.Bz})) * (\text{real}(\text{down}(\text{mef.Hx})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Hy})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Hz})) * \text{mef.unz})$	Pa	Maxwell downward magnetic surface stress tensor, z	Boundaries 4–5, 10, 12

Name	Expression	Unit	Description	Selection
	$\text{al}(\text{down}(\text{mef.Hy}))+\text{real}(\text{down}(\text{mef.Bz}))*\text{real}(\text{down}(\text{mef.Hz}))+\text{real}(\text{down}(\text{mef.Bz}))*(\text{real}(\text{down}(\text{mef.Hx}))*\text{mef.unx}+\text{real}(\text{down}(\text{mef.Hy}))*\text{mef.uny}+\text{real}(\text{down}(\text{mef.Hz}))*\text{mef.unz})$		component	
mef.dnTmx	- $0.5*\text{mef.unx}*(\text{real}(\text{down}(\text{mef.Bx}))*\text{real}(\text{down}(\text{mef.Hx}))+\text{real}(\text{down}(\text{mef.By}))*\text{real}(\text{down}(\text{mef.Hy}))+\text{real}(\text{down}(\text{mef.Bz}))*\text{real}(\text{down}(\text{mef.Hz}))+\text{real}(\text{down}(\text{mef.Bx}))*(\text{real}(\text{down}(\text{mef.Hx}))*\text{mef.unx}+\text{real}(\text{down}(\text{mef.Hy}))*\text{mef.uny}+\text{real}(\text{down}(\text{mef.Hz}))*\text{mef.unz})$	Pa	Maxwell downward magnetic surface stress tensor, x component	Boundaries 1–3, 7, 9, 17
mef.dnTmy	- $0.5*\text{mef.uny}*(\text{real}(\text{down}(\text{mef.Bx}))*\text{real}(\text{down}(\text{mef.Hx}))+\text{real}(\text{down}(\text{mef.By}))*\text{real}(\text{down}(\text{mef.Hy}))+\text{real}(\text{down}(\text{mef.Bz}))*\text{real}(\text{down}(\text{mef.Hz}))+\text{real}(\text{down}(\text{mef.By}))*(\text{real}(\text{down}(\text{mef.Hx}))*\text{mef.unx}+\text{real}(\text{down}(\text{mef.Hy}))*\text{mef.uny}+\text{real}(\text{down}(\text{mef.Hz}))*\text{mef.unz})$	Pa	Maxwell downward magnetic surface stress tensor, y component	Boundaries 1–3, 7, 9, 17
mef.dnTmz	- $0.5*\text{mef.unz}*(\text{real}(\text{down}(\text{mef.Bx}))*\text{real}(\text{down}(\text{mef.Hx}))+\text{real}(\text{down}(\text{mef.By}))*\text{real}(\text{down}(\text{mef.Hy}))+\text{real}(\text{down}(\text{mef.Bz}))*\text{real}(\text{down}(\text{mef.Hz}))+\text{real}(\text{down}(\text{mef.Bz}))*(\text{real}(\text{down}(\text{mef.Hx}))*\text{mef.unx}+\text{real}(\text{down}(\text{mef.Hy}))*\text{mef.uny}+\text{real}(\text{down}(\text{mef.Hz}))*\text{mef.unz})$	Pa	Maxwell downward magnetic surface stress tensor, z component	Boundaries 1–3, 7, 9, 17
mef.dnTmx	- $0.5*\text{mef.unx}*(\text{real}(\text{down}(\text{mef.Bx}))*\text{real}(\text{down}(\text{mef.Hx}))+\text{real}(\text{down}(\text{mef.By}))*\text{real}(\text{down}(\text{mef.Hy}))+\text{real}(\text{down}(\text{mef.Bz}))*\text{real}(\text{down}(\text{mef.Hz}))+\text{real}(\text{down}(\text{mef.Bx}))*(\text{real}(\text{down}(\text{mef.Hx}))*\text{mef.unx}+\text{real}(\text{down}(\text{mef.Hy}))*\text{mef.uny}+\text{real}(\text{down}(\text{mef.Hz}))*\text{mef.unz})$	Pa	Maxwell downward magnetic surface stress tensor, x component	Boundaries 22, 25

Name	Expression	Unit	Description	Selection
	$\text{wn}(\text{mef.Bz}) * \text{real}(\text{down}(\text{mef.Hz})) + \text{real}(\text{down}(\text{mef.Bx})) * (\text{real}(\text{down}(\text{mef.Hx})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Hy})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Hz})) * \text{mef.unz})$			
mef.dnTmy	- $0.5 * \text{mef.uny} * (\text{real}(\text{down}(\text{mef.Bx})) * \text{real}(\text{down}(\text{mef.Hx})) + \text{real}(\text{down}(\text{mef.By})) * \text{real}(\text{down}(\text{mef.Hy})) + \text{real}(\text{down}(\text{mef.Bz})) * \text{real}(\text{down}(\text{mef.Hz})) + \text{real}(\text{down}(\text{mef.By})) * (\text{real}(\text{down}(\text{mef.Hx})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Hy})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Hz})) * \text{mef.unz})$	Pa	Maxwell downward magnetic surface stress tensor, y component	Boundaries 22, 25
mef.dnTmz	- $0.5 * \text{mef.unz} * (\text{real}(\text{down}(\text{mef.Bx})) * \text{real}(\text{down}(\text{mef.Hx})) + \text{real}(\text{down}(\text{mef.By})) * \text{real}(\text{down}(\text{mef.Hy})) + \text{real}(\text{down}(\text{mef.Bz})) * \text{real}(\text{down}(\text{mef.Hz})) + \text{real}(\text{down}(\text{mef.Bz})) * (\text{real}(\text{down}(\text{mef.Hx})) * \text{mef.unx} + \text{real}(\text{down}(\text{mef.Hy})) * \text{mef.uny} + \text{real}(\text{down}(\text{mef.Hz})) * \text{mef.unz})$	Pa	Maxwell downward magnetic surface stress tensor, z component	Boundaries 22, 25
mef.sigmaxx	model.input.sigma11	S/m	Electrical conductivity, xx component	Domains 2–3
mef.sigmayx	model.input.sigma21	S/m	Electrical conductivity, yx component	Domains 2–3
mef.sigmazx	model.input.sigma31	S/m	Electrical conductivity, zx component	Domains 2–3
mef.sigmaxy	model.input.sigma12	S/m	Electrical conductivity, xy component	Domains 2–3
mef.sigmayy	model.input.sigma22	S/m	Electrical conductivity, yy component	Domains 2–3

Name	Expression	Unit	Description	Selection
mef.sigmaxy	model.input.sigma32	S/m	Electrical conductivity, zy component	Domains 2–3
mef.sigmaxz	model.input.sigma13	S/m	Electrical conductivity, xz component	Domains 2–3
mef.sigmayz	model.input.sigma23	S/m	Electrical conductivity, yz component	Domains 2–3
mef.sigmaxz	model.input.sigma33	S/m	Electrical conductivity, zz component	Domains 2–3
mef.sigmaxx	model.input.sigma11	S/m	Electrical conductivity, xx component	Domain 1
mef.sigmayx	model.input.sigma21	S/m	Electrical conductivity, yx component	Domain 1
mef.sigmaxz	model.input.sigma31	S/m	Electrical conductivity, zx component	Domain 1
mef.sigmaxy	model.input.sigma12	S/m	Electrical conductivity, xy component	Domain 1
mef.sigmayy	model.input.sigma22	S/m	Electrical conductivity, yy component	Domain 1
mef.sigmaxy	model.input.sigma32	S/m	Electrical conductivity, zy component	Domain 1
mef.sigmaxz	model.input.sigma13	S/m	Electrical conductivity, xz component	Domain 1
mef.sigmayz	model.input.sigma23	S/m	Electrical conductivity, yz component	Domain 1
mef.sigmaxz	model.input.sigma33	S/m	Electrical conductivity, zz component	Domain 1
mef.sigmaxx	model.input.sigma11	S/m	Electrical conductivity, xx	Domains 4–5

Name	Expression	Unit	Description	Selection
			component	
mef.sigmayx	model.input.sigma21	S/m	Electrical conductivity, yx component	Domains 4–5
mef.sigmazx	model.input.sigma31	S/m	Electrical conductivity, zx component	Domains 4–5
mef.sigmaxy	model.input.sigma12	S/m	Electrical conductivity, xy component	Domains 4–5
mef.sigmayy	model.input.sigma22	S/m	Electrical conductivity, yy component	Domains 4–5
mef.sigmazy	model.input.sigma32	S/m	Electrical conductivity, zy component	Domains 4–5
mef.sigmazx	model.input.sigma13	S/m	Electrical conductivity, xz component	Domains 4–5
mef.sigmayz	model.input.sigma23	S/m	Electrical conductivity, yz component	Domains 4–5
mef.sigmazz	model.input.sigma33	S/m	Electrical conductivity, zz component	Domains 4–5
mef.epsilonrxx	model.input.epsilonr11	1	Relative permittivity, xx component	Domains 2–3
mef.epsilonryx	model.input.epsilonr21	1	Relative permittivity, yx component	Domains 2–3
mef.epsilonrxz	model.input.epsilonr31	1	Relative permittivity, zx component	Domains 2–3
mef.epsilonrxy	model.input.epsilonr12	1	Relative permittivity, xy component	Domains 2–3
mef.epsilonryy	model.input.epsilonr22	1	Relative permittivity, yy component	Domains 2–3
mef.epsilonrzy	model.input.epsilonr32	1	Relative permittivity, zy component	Domains 2–3
mef.epsilonrxz	model.input.epsilonr13	1	Relative permittivity, xz component	Domains 2–3

Name	Expression	Unit	Description	Selection
mef.epsilonryz	model.input.epsilonr23	1	Relative permittivity, yz component	Domains 2–3
mef.epsilonrzz	model.input.epsilonr33	1	Relative permittivity, zz component	Domains 2–3
mef.epsilonrxx	model.input.epsilonr11	1	Relative permittivity, xx component	Domain 1
mef.epsilonryx	model.input.epsilonr21	1	Relative permittivity, yx component	Domain 1
mef.epsilonrxz	model.input.epsilonr31	1	Relative permittivity, zx component	Domain 1
mef.epsilonrxy	model.input.epsilonr12	1	Relative permittivity, xy component	Domain 1
mef.epsilonryy	model.input.epsilonr22	1	Relative permittivity, yy component	Domain 1
mef.epsilonrzy	model.input.epsilonr32	1	Relative permittivity, zy component	Domain 1
mef.epsilonrxz	model.input.epsilonr13	1	Relative permittivity, xz component	Domain 1
mef.epsilonryz	model.input.epsilonr23	1	Relative permittivity, yz component	Domain 1
mef.epsilonrzz	model.input.epsilonr33	1	Relative permittivity, zz component	Domain 1
mef.epsilonrxx	model.input.epsilonr11	1	Relative permittivity, xx component	Domains 4–5
mef.epsilonryx	model.input.epsilonr21	1	Relative permittivity, yx component	Domains 4–5
mef.epsilonrxz	model.input.epsilonr31	1	Relative permittivity, zx component	Domains 4–5
mef.epsilonrxy	model.input.epsilonr12	1	Relative permittivity, xy component	Domains 4–5
mef.epsilonryy	model.input.epsilonr22	1	Relative permittivity, yy component	Domains 4–5
mef.epsilonrzy	model.input.epsilonr32	1	Relative permittivity, zy component	Domains 4–5
mef.epsilonrxz	model.input.epsilonr13	1	Relative permittivity, xz component	Domains 4–5
mef.epsilonryz	model.input.epsilonr23	1	Relative permittivity, yz component	Domains 4–5

Name	Expression	Unit	Description	Selection
mef.epsilonrzz	model.input.epsilonr33	1	Relative permittivity, zz component	Domains 4–5
mef.murxx	model.input.mur11	1	Relative permeability, xx component	Domains 2–3
mef.muryx	model.input.mur21	1	Relative permeability, yx component	Domains 2–3
mef.murzx	model.input.mur31	1	Relative permeability, zx component	Domains 2–3
mef.murxy	model.input.mur12	1	Relative permeability, xy component	Domains 2–3
mef.muryy	model.input.mur22	1	Relative permeability, yy component	Domains 2–3
mef.murzy	model.input.mur32	1	Relative permeability, zy component	Domains 2–3
mef.murxz	model.input.mur13	1	Relative permeability, xz component	Domains 2–3
mef.muryz	model.input.mur23	1	Relative permeability, yz component	Domains 2–3
mef.murzz	model.input.mur33	1	Relative permeability, zz component	Domains 2–3
mef.murxx	model.input.mur11	1	Relative permeability, xx component	Domain 1
mef.muryx	model.input.mur21	1	Relative permeability, yx component	Domain 1
mef.murzx	model.input.mur31	1	Relative permeability, zx component	Domain 1
mef.murxy	model.input.mur12	1	Relative permeability, xy	Domain 1

Name	Expression	Unit	Description	Selection
			component	
mef.muryy	model.input.mur22	1	Relative permeability, yy component	Domain 1
mef.murzy	model.input.mur32	1	Relative permeability, zy component	Domain 1
mef.murxz	model.input.mur13	1	Relative permeability, xz component	Domain 1
mef.muryz	model.input.mur23	1	Relative permeability, yz component	Domain 1
mef.murzz	model.input.mur33	1	Relative permeability, zz component	Domain 1
mef.murxx	model.input.mur11	1	Relative permeability, xx component	Domains 4–5
mef.muryx	model.input.mur21	1	Relative permeability, yx component	Domains 4–5
mef.murzx	model.input.mur31	1	Relative permeability, zx component	Domains 4–5
mef.murxy	model.input.mur12	1	Relative permeability, xy component	Domains 4–5
mef.muryy	model.input.mur22	1	Relative permeability, yy component	Domains 4–5
mef.murzy	model.input.mur32	1	Relative permeability, zy component	Domains 4–5
mef.murxz	model.input.mur13	1	Relative permeability, xz component	Domains 4–5
mef.muryz	model.input.mur23	1	Relative permeability, yz component	Domains 4–5

Name	Expression	Unit	Description	Selection
mef.murzz	model.input.mur33	1	Relative permeability, zz component	Domains 4–5
mef.Dx	$\epsilon_0 \text{mef.Ex} + \text{ef.Px}$	C/m ²	Electric displacement field, x component	Domains 2–3
mef.Dy	$\epsilon_0 \text{mef.Ey} + \text{ef.Py}$	C/m ²	Electric displacement field, y component	Domains 2–3
mef.Dz	$\epsilon_0 \text{mef.Ez} + \text{ef.Pz}$	C/m ²	Electric displacement field, z component	Domains 2–3
mef.Dx	$\epsilon_0 \text{mef.Ex} + \text{ef.Px}$	C/m ²	Electric displacement field, x component	Domain 1
mef.Dy	$\epsilon_0 \text{mef.Ey} + \text{ef.Py}$	C/m ²	Electric displacement field, y component	Domain 1
mef.Dz	$\epsilon_0 \text{mef.Ez} + \text{ef.Pz}$	C/m ²	Electric displacement field, z component	Domain 1
mef.Dx	$\epsilon_0 \text{mef.Ex} + \text{ef.Px}$	C/m ²	Electric displacement field, x component	Domains 4–5
mef.Dy	$\epsilon_0 \text{mef.Ey} + \text{ef.Py}$	C/m ²	Electric displacement field, y component	Domains 4–5
mef.Dz	$\epsilon_0 \text{mef.Ez} + \text{ef.Pz}$	C/m ²	Electric displacement field, z component	Domains 4–5
mef.Px	$\epsilon_0 (\text{mef.chixx} * \text{mef.Ex} + \text{mef.chixy} * \text{mef.Ey} + \text{mef.chixz} * \text{mef.Ez})$	C/m ²	Polarization, x component	Domains 2–3
mef.Py	$\epsilon_0 (\text{mef.chiyy} * \text{mef.Ex} + \text{mef.chiyy} * \text{mef.Ey} + \text{mef.chiyy} * \text{mef.Ez})$	C/m ²	Polarization, y component	Domains 2–3
mef.Pz	$\epsilon_0 (\text{mef.chizx} * \text{mef.Ex} + \text{mef.chizy} * \text{mef.Ey} + \text{mef.chizz} * \text{mef.Ez})$	C/m ²	Polarization, z component	Domains 2–3
mef.Px	$\epsilon_0 (\text{mef.chixx} * \text{mef.Ex} + \text{mef.chixy} * \text{mef.Ey} + \text{mef.chixz} * \text{mef.Ez})$	C/m ²	Polarization, x component	Domain 1
mef.Py	$\epsilon_0 (\text{mef.chiyy} * \text{mef.Ex} + \text{mef.chiyy} * \text{mef.Ey} + \text{mef.chiyy} * \text{mef.Ez})$	C/m ²	Polarization, y component	Domain 1
mef.Pz	$\epsilon_0 (\text{mef.chizx} * \text{mef.Ex} + \text{mef.chizy} * \text{mef.Ey} + \text{mef.chizz} * \text{mef.Ez})$	C/m ²	Polarization, z component	Domain 1

Name	Expression	Unit	Description	Selection
mef.Px	$\epsilon_0 \text{const} * (\text{mef.chixx} * \text{mef.Ex} + \text{mef.chixy} * \text{mef.Ey} + \text{mef.chixz} * \text{mef.Ez})$	C/m ²	Polarization, x component	Domains 4–5
mef.Py	$\epsilon_0 \text{const} * (\text{mef.chiyy} * \text{mef.Ex} + \text{mef.chiyy} * \text{mef.Ey} + \text{mef.chiyz} * \text{mef.Ez})$	C/m ²	Polarization, y component	Domains 4–5
mef.Pz	$\epsilon_0 \text{const} * (\text{mef.chizx} * \text{mef.Ex} + \text{mef.chizy} * \text{mef.Ey} + \text{mef.chizz} * \text{mef.Ez})$	C/m ²	Polarization, z component	Domains 4–5
mef.chixx	-1+mef.epsilonrxx	1	Electric susceptibility, xx component	Domains 2–3
mef.chiyy	mef.epsilonryx	1	Electric susceptibility, yx component	Domains 2–3
mef.chixz	mef.epsilonrxz	1	Electric susceptibility, xz component	Domains 2–3
mef.chiyy	mef.epsilonryy	1	Electric susceptibility, yy component	Domains 2–3
mef.chiyy	-1+mef.epsilonryy	1	Electric susceptibility, yy component	Domains 2–3
mef.chizy	mef.epsilonryz	1	Electric susceptibility, yz component	Domains 2–3
mef.chizy	mef.epsilonryz	1	Electric susceptibility, zy component	Domains 2–3
mef.chixz	mef.epsilonrxz	1	Electric susceptibility, xz component	Domains 2–3
mef.chiyy	mef.epsilonryz	1	Electric susceptibility, yz component	Domains 2–3
mef.chiyy	mef.epsilonryz	1	Electric susceptibility, yz component	Domains 2–3
mef.chizz	-1+mef.epsilonrzz	1	Electric susceptibility, zz component	Domains 2–3
mef.chixx	-1+mef.epsilonrxx	1	Electric susceptibility, xx component	Domain 1
mef.chiyy	mef.epsilonryx	1	Electric susceptibility, yx component	Domain 1

Name	Expression	Unit	Description	Selection
			component	
mef.chizx	mef.epsilonrxz	1	Electric susceptibility, zx component	Domain 1
mef.chixy	mef.epsilonrxy	1	Electric susceptibility, xy component	Domain 1
mef.chiyy	-1+mef.epsilonryy	1	Electric susceptibility, yy component	Domain 1
mef.chizy	mef.epsilonrzy	1	Electric susceptibility, zy component	Domain 1
mef.chixz	mef.epsilonrxz	1	Electric susceptibility, xz component	Domain 1
mef.chiyz	mef.epsilonryz	1	Electric susceptibility, yz component	Domain 1
mef.chizz	-1+mef.epsilonrzz	1	Electric susceptibility, zz component	Domain 1
mef.chixx	-1+mef.epsilonrxx	1	Electric susceptibility, xx component	Domains 4–5
mef.chiyx	mef.epsilonryx	1	Electric susceptibility, yx component	Domains 4–5
mef.chizx	mef.epsilonrxz	1	Electric susceptibility, zx component	Domains 4–5
mef.chixy	mef.epsilonrxy	1	Electric susceptibility, xy component	Domains 4–5
mef.chiyy	-1+mef.epsilonryy	1	Electric susceptibility, yy component	Domains 4–5
mef.chizy	mef.epsilonrzy	1	Electric susceptibility, zy component	Domains 4–5

Name	Expression	Unit	Description	Selection
mef.chixz	mef.epsilonrxz	1	Electric susceptibility, xz component	Domains 4–5
mef.chiyz	mef.epsilonryz	1	Electric susceptibility, yz component	Domains 4–5
mef.chizz	-1+mef.epsilonrzz	1	Electric susceptibility, zz component	Domains 4–5
mef.normD	$\sqrt{\text{realdot}(\text{mef.Dx}, \text{mef.Dx}) + \text{realdot}(\text{mef.Dy}, \text{mef.Dy}) + \text{realdot}(\text{mef.Dz}, \text{mef.Dz})}$	C/m ²	Electric displacement field norm	Domains 2–3
mef.normD	$\sqrt{\text{realdot}(\text{mef.Dx}, \text{mef.Dx}) + \text{realdot}(\text{mef.Dy}, \text{mef.Dy}) + \text{realdot}(\text{mef.Dz}, \text{mef.Dz})}$	C/m ²	Electric displacement field norm	Domain 1
mef.normD	$\sqrt{\text{realdot}(\text{mef.Dx}, \text{mef.Dx}) + \text{realdot}(\text{mef.Dy}, \text{mef.Dy}) + \text{realdot}(\text{mef.Dz}, \text{mef.Dz})}$	C/m ²	Electric displacement field norm	Domains 4–5
mef.normP	$\sqrt{\text{realdot}(\text{mef.Px}, \text{mef.Px}) + \text{realdot}(\text{mef.Py}, \text{mef.Py}) + \text{realdot}(\text{mef.Pz}, \text{mef.Pz})}$	C/m ²	Polarization norm	Domains 2–3
mef.normP	$\sqrt{\text{realdot}(\text{mef.Px}, \text{mef.Px}) + \text{realdot}(\text{mef.Py}, \text{mef.Py}) + \text{realdot}(\text{mef.Pz}, \text{mef.Pz})}$	C/m ²	Polarization norm	Domain 1
mef.normP	$\sqrt{\text{realdot}(\text{mef.Px}, \text{mef.Px}) + \text{realdot}(\text{mef.Py}, \text{mef.Py}) + \text{realdot}(\text{mef.Pz}, \text{mef.Pz})}$	C/m ²	Polarization norm	Domains 4–5
mef.Hx	$(\text{mef.murinvxx} * \text{mef.Bx} + \text{mef.murinvxy} * \text{mef.By} + \text{mef.murinvxz} * \text{mef.Bz}) / \mu_0_{\text{const}}$	A/m	Magnetic field, x component	Domains 2–3
mef.Hy	$(\text{mef.murinvyx} * \text{mef.Bx} + \text{mef.murinvyy} * \text{mef.By} + \text{mef.murinvyz} * \text{mef.Bz}) / \mu_0_{\text{const}}$	A/m	Magnetic field, y component	Domains 2–3
mef.Hz	$(\text{mef.murinvzx} * \text{mef.Bx} + \text{mef.murinvzy} * \text{mef.By} + \text{mef.murinvzz} * \text{mef.Bz}) / \mu_0_{\text{const}}$	A/m	Magnetic field, z component	Domains 2–3
mef.Hx	$(\text{mef.murinvxx} * \text{mef.Bx} + \text{mef.murinvxy} * \text{mef.By} + \text{mef.murinvxz} * \text{mef.Bz}) / \mu_0_{\text{const}}$	A/m	Magnetic field, x component	Domain 1

Name	Expression	Unit	Description	Selection
	$\text{murinvxz} * \text{mef.Bz} / \mu_0_{\text{const}}$			
mef.Hy	$(\text{mef.murinvyx} * \text{mef.Bx} + \text{mef.murinvyy} * \text{mef.By} + \text{mef.murinvyz} * \text{mef.Bz}) / \mu_0_{\text{const}}$	A/m	Magnetic field, y component	Domain 1
mef.Hz	$(\text{mef.murinvzx} * \text{mef.Bx} + \text{mef.murinvzy} * \text{mef.By} + \text{mef.murinvzz} * \text{mef.Bz}) / \mu_0_{\text{const}}$	A/m	Magnetic field, z component	Domain 1
mef.Hx	$(\text{mef.murinvxx} * \text{mef.Bx} + \text{mef.murinvxy} * \text{mef.By} + \text{mef.murinvxz} * \text{mef.Bz}) / \mu_0_{\text{const}}$	A/m	Magnetic field, x component	Domains 4–5
mef.Hy	$(\text{mef.murinvyx} * \text{mef.Bx} + \text{mef.murinvyy} * \text{mef.By} + \text{mef.murinvyz} * \text{mef.Bz}) / \mu_0_{\text{const}}$	A/m	Magnetic field, y component	Domains 4–5
mef.Hz	$(\text{mef.murinvzx} * \text{mef.Bx} + \text{mef.murinvzy} * \text{mef.By} + \text{mef.murinvzz} * \text{mef.Bz}) / \mu_0_{\text{const}}$	A/m	Magnetic field, z component	Domains 4–5
mef.normH	$\sqrt{\text{realdot}(\text{mef.Hx}, \text{mef.Hx}) + \text{realdot}(\text{mef.Hy}, \text{mef.Hy}) + \text{realdot}(\text{mef.Hz}, \text{mef.Hz})}$	A/m	Magnetic field norm	Domains 2–3
mef.normH	$\sqrt{\text{realdot}(\text{mef.Hx}, \text{mef.Hx}) + \text{realdot}(\text{mef.Hy}, \text{mef.Hy}) + \text{realdot}(\text{mef.Hz}, \text{mef.Hz})}$	A/m	Magnetic field norm	Domain 1
mef.normH	$\sqrt{\text{realdot}(\text{mef.Hx}, \text{mef.Hx}) + \text{realdot}(\text{mef.Hy}, \text{mef.Hy}) + \text{realdot}(\text{mef.Hz}, \text{mef.Hz})}$	A/m	Magnetic field norm	Domains 4–5
mef.Mx	$\text{mef.Bx} / \mu_0_{\text{const}} - \text{mef.Hx}$	A/m	Magnetization, x component	Domains 2–3
mef.My	$\text{mef.By} / \mu_0_{\text{const}} - \text{mef.Hy}$	A/m	Magnetization, y component	Domains 2–3
mef.Mz	$\text{mef.Bz} / \mu_0_{\text{const}} - \text{mef.Hz}$	A/m	Magnetization, z component	Domains 2–3
mef.Mx	$\text{mef.Bx} / \mu_0_{\text{const}} - \text{mef.Hx}$	A/m	Magnetization, x component	Domain 1
mef.My	$\text{mef.By} / \mu_0_{\text{const}} -$	A/m	Magnetization, y	Domain 1

Name	Expression	Unit	Description	Selection
	mef.Hy		component	
mef.Mz	mef.Bz/mu0_const-mef.Hz	A/m	Magnetization, z component	Domain 1
mef.Mx	mef.Bx/mu0_const-mef.Hx	A/m	Magnetization, x component	Domains 4–5
mef.My	mef.By/mu0_const-mef.Hy	A/m	Magnetization, y component	Domains 4–5
mef.Mz	mef.Bz/mu0_const-mef.Hz	A/m	Magnetization, z component	Domains 4–5
mef.normM	$\sqrt{\text{realdot}(\text{mef.Mx}, \text{mef.Mx}) + \text{realdot}(\text{mef.My}, \text{mef.My}) + \text{realdot}(\text{mef.Mz}, \text{mef.Mz})}$	A/m	Magnetization norm	Domains 2–3
mef.normM	$\sqrt{\text{realdot}(\text{mef.Mx}, \text{mef.Mx}) + \text{realdot}(\text{mef.My}, \text{mef.My}) + \text{realdot}(\text{mef.Mz}, \text{mef.Mz})}$	A/m	Magnetization norm	Domain 1
mef.normM	$\sqrt{\text{realdot}(\text{mef.Mx}, \text{mef.Mx}) + \text{realdot}(\text{mef.My}, \text{mef.My}) + \text{realdot}(\text{mef.Mz}, \text{mef.Mz})}$	A/m	Magnetization norm	Domains 4–5
mef.murinvxx	$(\text{mef.muryy} * \text{mef.murzz} - \text{mef.muryz} * \text{mef.murzx}) / (\text{mef.murxx} * \text{mef.muryy} * \text{mef.murzz} + \text{mef.murxy} * \text{mef.muryz} * \text{mef.murzx} + \text{mef.murxz} * \text{mef.muryx} * \text{mef.murzy} - \text{mef.murxx} * \text{mef.muryz} * \text{mef.murzy} - \text{mef.murxy} * \text{mef.muryx} * \text{mef.murzz} - \text{mef.murxz} * \text{mef.muryy} * \text{mef.murzx})$	1	Inverse of relative permeability, xx component	Domains 2–3
mef.murinvyx	$(\text{mef.muryz} * \text{mef.murzx} - \text{mef.muryx} * \text{mef.murzz}) / (\text{mef.murxx} * \text{mef.muryy} * \text{mef.murzz} + \text{mef.murxy} * \text{mef.muryz} * \text{mef.murzx} + \text{mef.murxz} * \text{mef.muryx} * \text{mef.murzy} - \text{mef.murxx} * \text{mef.muryz} * \text{mef.murzy} - \text{mef.murxy} * \text{mef.muryx} * \text{mef.murzz} - \text{mef.murxz} * \text{mef.muryy} * \text{mef.murzx})$	1	Inverse of relative permeability, yx component	Domains 2–3

Name	Expression	Unit	Description	Selection
	mef.murxy*mef.muryx*mef.murzz-mef.murxz*mef.muryy*mef.murzx)			
mef.murinvzx	(mef.muryx*mef.murzy-mef.muryy*mef.murzx)/(mef.murxx*mef.muryy*mef.murzz+mef.murxy*mef.muryz*mef.murzx+mef.murxz*mef.muryx*mef.murzy-mef.murxx*mef.muryz*mef.murzy-mef.murxy*mef.muryx*mef.murzz-mef.murxz*mef.muryy*mef.murzx)	1	Inverse of relative permeability, zx component	Domains 2–3
mef.murinvxy	(mef.murxz*mef.murzy-mef.murxy*mef.murzz)/(mef.murxx*mef.muryy*mef.murzz+mef.murxy*mef.muryz*mef.murzx+mef.murxz*mef.muryx*mef.murzy-mef.murxx*mef.muryz*mef.murzy-mef.murxy*mef.muryx*mef.murzz-mef.murxz*mef.muryy*mef.murzx)	1	Inverse of relative permeability, xy component	Domains 2–3
mef.murinvyy	(mef.murxx*mef.murzz-mef.murxz*mef.murzx)/(mef.murxx*mef.muryy*mef.murzz+mef.murxy*mef.muryz*mef.murzx+mef.murxz*mef.muryx*mef.murzy-mef.murxx*mef.muryz*mef.murzy-mef.murxy*mef.muryx*mef.murzz-mef.murxz*mef.muryy*mef.murzx)	1	Inverse of relative permeability, yy component	Domains 2–3
mef.murinvzy	(mef.murxy*mef.murzx-mef.murxx*mef.murzy)/(	1	Inverse of relative permeability, zy	Domains 2–3

Name	Expression	Unit	Description	Selection
	mef.murxx*mef.muryy*m ef.murzz+mef.murxy*mef. muryz*mef.murzx+mef.m urxz*mef.muryx*mef.mur zy- mef.murxx*mef.muryz*m ef.murzy- mef.murxy*mef.muryx*m ef.murzz- mef.murxz*mef.muryy*m ef.murzx)		component	
mef.murinvxz	(mef.murxy*mef.muryz- mef.murxz*mef.muryy)/(mef.murxx*mef.muryy*m ef.murzz+mef.murxy*mef. muryz*mef.murzx+mef.m urxz*mef.muryx*mef.mur zy- mef.murxx*mef.muryz*m ef.murzy- mef.murxy*mef.muryx*m ef.murzz- mef.murxz*mef.muryy*m ef.murzx)	1	Inverse of relative permeability, xz component	Domains 2–3
mef.murinvyz	(mef.murxz*mef.muryx- mef.murxx*mef.muryz)/(mef.murxx*mef.muryy*m ef.murzz+mef.murxy*mef. muryz*mef.murzx+mef.m urxz*mef.muryx*mef.mur zy- mef.murxx*mef.muryz*m ef.murzy- mef.murxy*mef.muryx*m ef.murzz- mef.murxz*mef.muryy*m ef.murzx)	1	Inverse of relative permeability, yz component	Domains 2–3
mef.murinvzz	(mef.murxx*mef.muryy- mef.murxy*mef.muryx)/(mef.murxx*mef.muryy*m ef.murzz+mef.murxy*mef. muryz*mef.murzx+mef.m urxz*mef.muryx*mef.mur zy- mef.murxx*mef.muryz*m	1	Inverse of relative permeability, zz component	Domains 2–3

Name	Expression	Unit	Description	Selection
	ef.murzy- mef.murxy*mef.muryx*m ef.murzz- mef.murxz*mef.muryy*m ef.murzx)			
mef.murinvxx	(mef.muryy*mef.murzz- mef.muryz*mef.murzy)/(mef.murxx*mef.muryy*m ef.murzz+mef.murxy*mef. muryz*mef.murzx+mef.m urxz*mef.muryx*mef.mur zy- mef.murxx*mef.muryz*m ef.murzy- mef.murxy*mef.muryx*m ef.murzz- mef.murxz*mef.muryy*m ef.murzx)	1	Inverse of relative permeability, xx component	Domain 1
mef.murinvyx	(mef.muryz*mef.murzx- mef.muryx*mef.murzz)/(mef.murxx*mef.muryy*m ef.murzz+mef.murxy*mef. muryz*mef.murzx+mef.m urxz*mef.muryx*mef.mur zy- mef.murxx*mef.muryz*m ef.murzy- mef.murxy*mef.muryx*m ef.murzz- mef.murxz*mef.muryy*m ef.murzx)	1	Inverse of relative permeability, yx component	Domain 1
mef.murinvzx	(mef.muryx*mef.murzy- mef.muryy*mef.murzx)/(mef.murxx*mef.muryy*m ef.murzz+mef.murxy*mef. muryz*mef.murzx+mef.m urxz*mef.muryx*mef.mur zy- mef.murxx*mef.muryz*m ef.murzy- mef.murxy*mef.muryx*m ef.murzz- mef.murxz*mef.muryy*m ef.murzx)	1	Inverse of relative permeability, zx component	Domain 1

Name	Expression	Unit	Description	Selection
mef.murinvxy	$\frac{(mef.murxz * mef.murzy - mef.murxy * mef.murzz)}{(mef.murxx * mef.muryy * mef.murzz + mef.murxy * mef.muryz * mef.murzx + mef.murxz * mef.muryx * mef.murzy - mef.murxx * mef.muryz * mef.murzy - mef.murxy * mef.muryx * mef.murzz - mef.murxz * mef.muryy * mef.murzx)}$	1	Inverse of relative permeability, xy component	Domain 1
mef.murinvyy	$\frac{(mef.murxx * mef.murzz - mef.murxz * mef.murzx)}{(mef.murxx * mef.muryy * mef.murzz + mef.murxy * mef.muryz * mef.murzx + mef.murxz * mef.muryx * mef.murzy - mef.murxx * mef.muryz * mef.murzy - mef.murxy * mef.muryx * mef.murzz - mef.murxz * mef.muryy * mef.murzx)}$	1	Inverse of relative permeability, yy component	Domain 1
mef.murinvzy	$\frac{(mef.murxy * mef.murzx - mef.murxx * mef.murzy)}{(mef.murxx * mef.muryy * mef.murzz + mef.murxy * mef.muryz * mef.murzx + mef.murxz * mef.muryx * mef.murzy - mef.murxx * mef.muryz * mef.murzy - mef.murxy * mef.muryx * mef.murzz - mef.murxz * mef.muryy * mef.murzx)}$	1	Inverse of relative permeability, zy component	Domain 1
mef.murinvxz	$\frac{(mef.murxy * mef.muryz - mef.murxz * mef.muryy)}{(mef.murxx * mef.muryy * mef.murzz + mef.murxy * mef.muryz * mef.murzx + mef.murxz * mef.muryx * mef.murzy - mef.murxx * mef.muryz * mef.murzy - mef.murxy * mef.muryx * mef.murzz - mef.murxz * mef.muryy * mef.murzx)}$	1	Inverse of relative permeability, xz component	Domain 1

Name	Expression	Unit	Description	Selection
	zy- mef.murxx*mef.muryz*m ef.murzy- mef.murxy*mef.muryx*m ef.murzz- mef.murxz*mef.muryy*m ef.murzx)			
mef.murinvyz	(mef.murxz*mef.muryx- mef.murxx*mef.muryz)/(mef.murxx*mef.muryy*m ef.murzz+mef.murxy*mef. muryz*mef.murzx+mef.m urxz*mef.muryx*mef.mur zy- mef.murxx*mef.muryz*m ef.murzy- mef.murxy*mef.muryx*m ef.murzz- mef.murxz*mef.muryy*m ef.murzx)	1	Inverse of relative permeability, yz component	Domain 1
mef.murinvzz	(mef.murxx*mef.muryy- mef.murxy*mef.muryx)/(mef.murxx*mef.muryy*m ef.murzz+mef.murxy*mef. muryz*mef.murzx+mef.m urxz*mef.muryx*mef.mur zy- mef.murxx*mef.muryz*m ef.murzy- mef.murxy*mef.muryx*m ef.murzz- mef.murxz*mef.muryy*m ef.murzx)	1	Inverse of relative permeability, zz component	Domain 1
mef.murinvxx	(mef.muryy*mef.murzz- mef.muryz*mef.murzy)/(mef.murxx*mef.muryy*m ef.murzz+mef.murxy*mef. muryz*mef.murzx+mef.m urxz*mef.muryx*mef.mur zy- mef.murxx*mef.muryz*m ef.murzy- mef.murxy*mef.muryx*m ef.murzz- mef.murxz*mef.muryy*m	1	Inverse of relative permeability, xx component	Domains 4–5

Name	Expression	Unit	Description	Selection
	ef.murzx)			
mef.murinvyx	(mef.muryz*mef.murzx- mef.muryx*mef.murzz)/(mef.murxx*mef.muryy*m ef.murzz+mef.murxy*mef. muryz*mef.murzx+mef.m urxz*mef.muryx*mef.mur zy- mef.murxx*mef.muryz*m ef.murzy- mef.murxy*mef.muryx*m ef.murzz- mef.murxz*mef.muryy*m ef.murzx)	1	Inverse of relative permeability, yx component	Domains 4–5
mef.murinvzx	(mef.muryx*mef.murzy- mef.muryy*mef.murzx)/(mef.murxx*mef.muryy*m ef.murzz+mef.murxy*mef. muryz*mef.murzx+mef.m urxz*mef.muryx*mef.mur zy- mef.murxx*mef.muryz*m ef.murzy- mef.murxy*mef.muryx*m ef.murzz- mef.murxz*mef.muryy*m ef.murzx)	1	Inverse of relative permeability, zx component	Domains 4–5
mef.murinvyx	(mef.murxz*mef.murzy- mef.murxy*mef.murzz)/(mef.murxx*mef.muryy*m ef.murzz+mef.murxy*mef. muryz*mef.murzx+mef.m urxz*mef.muryx*mef.mur zy- mef.murxx*mef.muryz*m ef.murzy- mef.murxy*mef.muryx*m ef.murzz- mef.murxz*mef.muryy*m ef.murzx)	1	Inverse of relative permeability, xy component	Domains 4–5
mef.murinvyx	(mef.murxx*mef.murzz- mef.murxz*mef.murzx)/(mef.murxx*mef.muryy*m ef.murzz+mef.murxy*mef. muryz*mef.murzx+mef.m	1	Inverse of relative permeability, yy component	Domains 4–5

Name	Expression	Unit	Description	Selection
	$\frac{\text{urxz} * \text{mef.muryx} * \text{mef.murzy} - \text{mef.murxx} * \text{mef.muryz} * \text{mef.murzy} - \text{mef.murxy} * \text{mef.muryx} * \text{mef.murzz} - \text{mef.murxz} * \text{mef.muryy} * \text{mef.murzx}}{1}$			
mef.murinvzy	$\frac{(\text{mef.murxy} * \text{mef.murzx} - \text{mef.murxx} * \text{mef.murzy}) / (\text{mef.murxx} * \text{mef.muryy} * \text{mef.murzz} + \text{mef.murxy} * \text{mef.muryz} * \text{mef.murzx} + \text{mef.murxz} * \text{mef.muryx} * \text{mef.murzy} - \text{mef.murxx} * \text{mef.muryz} * \text{mef.murzy} - \text{mef.murxy} * \text{mef.muryx} * \text{mef.murzz} - \text{mef.murxz} * \text{mef.muryy} * \text{mef.murzx})}{1}$	1	Inverse of relative permeability, zy component	Domains 4–5
mef.murinvxz	$\frac{(\text{mef.murxy} * \text{mef.muryz} - \text{mef.murxz} * \text{mef.muryy}) / (\text{mef.murxx} * \text{mef.muryy} * \text{mef.murzz} + \text{mef.murxy} * \text{mef.muryz} * \text{mef.murzx} + \text{mef.murxz} * \text{mef.muryx} * \text{mef.murzy} - \text{mef.murxx} * \text{mef.muryz} * \text{mef.murzy} - \text{mef.murxy} * \text{mef.muryx} * \text{mef.murzz} - \text{mef.murxz} * \text{mef.muryy} * \text{mef.murzx})}{1}$	1	Inverse of relative permeability, xz component	Domains 4–5
mef.murinvyz	$\frac{(\text{mef.murxz} * \text{mef.muryx} - \text{mef.murxx} * \text{mef.muryz}) / (\text{mef.murxx} * \text{mef.muryy} * \text{mef.murzz} + \text{mef.murxy} * \text{mef.muryz} * \text{mef.murzx} + \text{mef.murxz} * \text{mef.muryx} * \text{mef.murzy} - \text{mef.murxx} * \text{mef.muryz} * \text{mef.murzy} - \text{mef.murxy} * \text{mef.muryx} * \text{mef.murzz} - \text{mef.murxz} * \text{mef.muryy} * \text{mef.murzx})}{1}$	1	Inverse of relative permeability, yz component	Domains 4–5

Name	Expression	Unit	Description	Selection
	mef.murxz*mef.muryy*mef.murzx)			
mef.murinvzz	(mef.murxx*mef.muryy-mef.murxy*mef.muryx)/(mef.murxx*mef.muryy*mef.murzz+mef.murxy*mef.muryz*mef.murzx+mef.murxz*mef.muryx*mef.murzy-mef.murxx*mef.muryz*mef.murzy-mef.murxy*mef.muryx*mef.murzz-mef.murxz*mef.muryy*mef.murzx)	1	Inverse of relative permeability, zz component	Domains 4–5
mef.Br _x	0	T	Remanent flux density, x component	Domains 2–3
mef.Br _y	0	T	Remanent flux density, y component	Domains 2–3
mef.Br _z	0	T	Remanent flux density, z component	Domains 2–3
mef.Br _x	0	T	Remanent flux density, x component	Domain 1
mef.Br _y	0	T	Remanent flux density, y component	Domain 1
mef.Br _z	0	T	Remanent flux density, z component	Domain 1
mef.Br _x	0	T	Remanent flux density, x component	Domains 4–5
mef.Br _y	0	T	Remanent flux density, y component	Domains 4–5
mef.Br _z	0	T	Remanent flux density, z component	Domains 4–5

Name	Expression	Unit	Description	Selection
mef.Bx	curlA2x	T	Magnetic flux density, x component	Domains 2–3
mef.By	curlA2y	T	Magnetic flux density, y component	Domains 2–3
mef.Bz	curlA2z	T	Magnetic flux density, z component	Domains 2–3
mef.Bx	curlA2x	T	Magnetic flux density, x component	Domain 1
mef.By	curlA2y	T	Magnetic flux density, y component	Domain 1
mef.Bz	curlA2z	T	Magnetic flux density, z component	Domain 1
mef.Bx	curlA2x	T	Magnetic flux density, x component	Domains 4–5
mef.By	curlA2y	T	Magnetic flux density, y component	Domains 4–5
mef.Bz	curlA2z	T	Magnetic flux density, z component	Domains 4–5
mef.normB	$\sqrt{\text{realdot}(\text{mef.Bx}, \text{mef.Bx}) + \text{realdot}(\text{mef.By}, \text{mef.By}) + \text{realdot}(\text{mef.Bz}, \text{mef.Bz})}$	T	Magnetic flux density norm	Domains 2–3
mef.normB	$\sqrt{\text{realdot}(\text{mef.Bx}, \text{mef.Bx}) + \text{realdot}(\text{mef.By}, \text{mef.By}) + \text{realdot}(\text{mef.Bz}, \text{mef.Bz})}$	T	Magnetic flux density norm	Domain 1
mef.normB	$\sqrt{\text{realdot}(\text{mef.Bx}, \text{mef.Bx}) + \text{realdot}(\text{mef.By}, \text{mef.By}) + \text{realdot}(\text{mef.Bz}, \text{mef.Bz})}$	T	Magnetic flux density norm	Domains 4–5
mef.Ex	-V2x-A2xt	V/m	Electric field, x component	Domains 2–3
mef.Ey	-V2y-A2yt	V/m	Electric field, y component	Domains 2–3

Name	Expression	Unit	Description	Selection
mef.Ez	$-V2z-A2zt$	V/m	Electric field, z component	Domains 2–3
mef.Ex	$-V2x-A2xt$	V/m	Electric field, x component	Domain 1
mef.Ey	$-V2y-A2yt$	V/m	Electric field, y component	Domain 1
mef.Ez	$-V2z-A2zt$	V/m	Electric field, z component	Domain 1
mef.Ex	$-V2x-A2xt$	V/m	Electric field, x component	Domains 4–5
mef.Ey	$-V2y-A2yt$	V/m	Electric field, y component	Domains 4–5
mef.Ez	$-V2z-A2zt$	V/m	Electric field, z component	Domains 4–5
mef.tEx	$-V2Tx-d(mef.tAx,t)$	V/m	Tangential electric field, x component	Boundaries 4–6, 8, 10–16, 18–19
mef.tEy	$-V2Ty-d(mef.tAy,t)$	V/m	Tangential electric field, y component	Boundaries 4–6, 8, 10–16, 18–19
mef.tEz	$-V2Tz-d(mef.tAz,t)$	V/m	Tangential electric field, z component	Boundaries 4–6, 8, 10–16, 18–19
mef.tEx	$-V2Tx-d(mef.tAx,t)$	V/m	Tangential electric field, x component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.tEy	$-V2Ty-d(mef.tAy,t)$	V/m	Tangential electric field, y component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.tEz	$-V2Tz-d(mef.tAz,t)$	V/m	Tangential electric field, z component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.tEx	$-V2Tx-d(mef.tAx,t)$	V/m	Tangential electric field, x component	Boundaries 22, 25
mef.tEy	$-V2Ty-d(mef.tAy,t)$	V/m	Tangential electric field, y component	Boundaries 22, 25

Name	Expression	Unit	Description	Selection
mef.tEz	$-V_2 T_z - d(\text{mef.tAz}, t)$	V/m	Tangential electric field, z component	Boundaries 22, 25
mef.normE	$\sqrt{\text{realdot}(\text{mef.Ex}, \text{mef.Ex}) + \text{realdot}(\text{mef.Ey}, \text{mef.Ey}) + \text{realdot}(\text{mef.Ez}, \text{mef.Ez})}$	V/m	Electric field norm	Domains 2–3
mef.normE	$\sqrt{\text{realdot}(\text{mef.Ex}, \text{mef.Ex}) + \text{realdot}(\text{mef.Ey}, \text{mef.Ey}) + \text{realdot}(\text{mef.Ez}, \text{mef.Ez})}$	V/m	Electric field norm	Domain 1
mef.normE	$\sqrt{\text{realdot}(\text{mef.Ex}, \text{mef.Ex}) + \text{realdot}(\text{mef.Ey}, \text{mef.Ey}) + \text{realdot}(\text{mef.Ez}, \text{mef.Ez})}$	V/m	Electric field norm	Domains 4–5
mef.Jx	$\text{mef.Jix} + \text{mef.Jex}$	A/m ²	Current density, x component	Domains 2–3
mef.Jy	$\text{mef.Jiy} + \text{mef.Jey}$	A/m ²	Current density, y component	Domains 2–3
mef.Jz	$\text{mef.Jiz} + \text{mef.Jez}$	A/m ²	Current density, z component	Domains 2–3
mef.Jx	$\text{mef.Jix} + \text{mef.Jex}$	A/m ²	Current density, x component	Domain 1
mef.Jy	$\text{mef.Jiy} + \text{mef.Jey}$	A/m ²	Current density, y component	Domain 1
mef.Jz	$\text{mef.Jiz} + \text{mef.Jez}$	A/m ²	Current density, z component	Domain 1
mef.Jx	$\text{mef.Jix} + \text{mef.Jex}$	A/m ²	Current density, x component	Domains 4–5
mef.Jy	$\text{mef.Jiy} + \text{mef.Jey}$	A/m ²	Current density, y component	Domains 4–5
mef.Jz	$\text{mef.Jiz} + \text{mef.Jez}$	A/m ²	Current density, z component	Domains 4–5
mef.Jix	$\text{mef.sigmaxx} * \text{mef.Ex} + \text{mef.sigmaxy} * \text{mef.Ey} + \text{mef.sigmaxz} * \text{mef.Ez}$	A/m ²	Induced current density, x component	Domains 2–3
mef.Jiy	$\text{mef.sigmayx} * \text{mef.Ex} + \text{mef.sigmayy} * \text{mef.Ey} + \text{mef.sigmayz} * \text{mef.Ez}$	A/m ²	Induced current density, y component	Domains 2–3
mef.Jiz	$\text{mef.sigmazx} * \text{mef.Ex} + \text{mef.sigmayz} * \text{mef.Ey} + \text{mef.sigmaxz} * \text{mef.Ez}$	A/m ²	Induced current density, z component	Domains 2–3
mef.Jix	$\text{mef.sigmaxx} * \text{mef.Ex} + \text{mef.}$	A/m ²	Induced current	Domain 1

Name	Expression	Unit	Description	Selection
	$\text{sigmaxy} \cdot \text{mef.Ey} + \text{mef.sigmazx} \cdot \text{mef.Ez}$		density, x component	
mef.Jiy	$\text{mef.sigmayx} \cdot \text{mef.Ex} + \text{mef.sigmayy} \cdot \text{mef.Ey} + \text{mef.sigmayz} \cdot \text{mef.Ez}$	A/m ²	Induced current density, y component	Domain 1
mef.Jiz	$\text{mef.sigmazx} \cdot \text{mef.Ex} + \text{mef.sigmazy} \cdot \text{mef.Ey} + \text{mef.sigmazz} \cdot \text{mef.Ez}$	A/m ²	Induced current density, z component	Domain 1
mef.Jix	$\text{mef.sigmamaxx} \cdot \text{mef.Ex} + \text{mef.sigmaxy} \cdot \text{mef.Ey} + \text{mef.sigmazx} \cdot \text{mef.Ez}$	A/m ²	Induced current density, x component	Domains 4–5
mef.Jiy	$\text{mef.sigmayx} \cdot \text{mef.Ex} + \text{mef.sigmayy} \cdot \text{mef.Ey} + \text{mef.sigmayz} \cdot \text{mef.Ez}$	A/m ²	Induced current density, y component	Domains 4–5
mef.Jiz	$\text{mef.sigmazx} \cdot \text{mef.Ex} + \text{mef.sigmazy} \cdot \text{mef.Ey} + \text{mef.sigmazz} \cdot \text{mef.Ez}$	A/m ²	Induced current density, z component	Domains 4–5
mef.Jdx	d(mef.Dx,t)	A/m ²	Displacement current density, x component	Domains 2–3
mef.Jdy	d(mef.Dy,t)	A/m ²	Displacement current density, y component	Domains 2–3
mef.Jdz	d(mef.Dz,t)	A/m ²	Displacement current density, z component	Domains 2–3
mef.Jdx	d(mef.Dx,t)	A/m ²	Displacement current density, x component	Domain 1
mef.Jdy	d(mef.Dy,t)	A/m ²	Displacement current density, y component	Domain 1
mef.Jdz	d(mef.Dz,t)	A/m ²	Displacement current density, z component	Domain 1
mef.Jdx	d(mef.Dx,t)	A/m ²	Displacement current density, x component	Domains 4–5
mef.Jdy	d(mef.Dy,t)	A/m ²	Displacement current density, y component	Domains 4–5

Name	Expression	Unit	Description	Selection
			component	
mef.Jdz	$d(\text{mef.Dz}, t)$	A/m ²	Displacement current density, z component	Domains 4–5
mef.Jsx	0	A/m	Surface current density, x component	Boundaries 4–6, 8, 10–16, 18–19
mef.Jsy	0	A/m	Surface current density, y component	Boundaries 4–6, 8, 10–16, 18–19
mef.Jsz	0	A/m	Surface current density, z component	Boundaries 4–6, 8, 10–16, 18–19
mef.Jsx	0	A/m	Surface current density, x component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.Jsy	0	A/m	Surface current density, y component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.Jsz	0	A/m	Surface current density, z component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.Jsx	0	A/m	Surface current density, x component	Boundaries 22, 25
mef.Jsy	0	A/m	Surface current density, y component	Boundaries 22, 25
mef.Jsz	0	A/m	Surface current density, z component	Boundaries 22, 25
mef.normJs	$\sqrt{\text{realdot}(\text{mef.Jsx}, \text{mef.Jsx}) + \text{realdot}(\text{mef.Jsy}, \text{mef.Jsy}) + \text{realdot}(\text{mef.Jsz}, \text{mef.Jsz})}$	A/m	Surface current density norm	Boundaries 4–6, 8, 10–16, 18–19
mef.normJs	$\sqrt{\text{realdot}(\text{mef.Jsx}, \text{mef.Jsx}) + \text{realdot}(\text{mef.Jsy}, \text{mef.Jsy}) + \text{realdot}(\text{mef.Jsz}, \text{mef.Jsz})}$	A/m	Surface current density norm	Boundaries 1–3, 7, 9, 17, 20–21, 23–

Name	Expression	Unit	Description	Selection
	))			24, 26–31
mef.normJs	$\sqrt{\text{realdot}(\text{mef.Jsx}, \text{mef.Jsx}) + \text{realdot}(\text{mef.Jsy}, \text{mef.Jsy}) + \text{realdot}(\text{mef.Jsz}, \text{mef.Jsz})}$	A/m	Surface current density norm	Boundaries 22, 25
mef.Jex	0	A/m ²	External current density, x component	Domains 2–3
mef.Jey	0	A/m ²	External current density, y component	Domains 2–3
mef.Jez	0	A/m ²	External current density, z component	Domains 2–3
mef.Jex	0	A/m ²	External current density, x component	Domain 1
mef.Jey	0	A/m ²	External current density, y component	Domain 1
mef.Jez	0	A/m ²	External current density, z component	Domain 1
mef.Jex	0	A/m ²	External current density, x component	Domains 4–5
mef.Jey	0	A/m ²	External current density, y component	Domains 4–5
mef.Jez	0	A/m ²	External current density, z component	Domains 4–5
mef.normJ	$\sqrt{\text{realdot}(\text{mef.Jx}, \text{mef.Jx}) + \text{realdot}(\text{mef.Jy}, \text{mef.Jy}) + \text{realdot}(\text{mef.Jz}, \text{mef.Jz})}$	A/m ²	Current density norm	Domains 2–3
mef.normJ	$\sqrt{\text{realdot}(\text{mef.Jx}, \text{mef.Jx}) + \text{realdot}(\text{mef.Jy}, \text{mef.Jy}) + \text{realdot}(\text{mef.Jz}, \text{mef.Jz})}$	A/m ²	Current density norm	Domain 1
mef.normJ	$\sqrt{\text{realdot}(\text{mef.Jx}, \text{mef.Jx}) + \text{realdot}(\text{mef.Jy}, \text{mef.Jy}) + \text{realdot}(\text{mef.Jz}, \text{mef.Jz})}$	A/m ²	Current density norm	Domains 4–5

Name	Expression	Unit	Description	Selection
	$\text{aldot}(\text{mef.Jz}, \text{mef.Jz})$			
mef.W	$\text{mef.We} + \text{mef.Wm}$	J/m^3	Energy density	Domains 2–3
mef.W	$\text{mef.We} + \text{mef.Wm}$	J/m^3	Energy density	Domain 1
mef.W	$\text{mef.We} + \text{mef.Wm}$	J/m^3	Energy density	Domains 4–5
mef.alc1.T	model.input.T	K	Temperature	Domains 2–3
mef.alc1.T	model.input.T	K	Temperature	Domain 1
mef.alc1.T	model.input.T	K	Temperature	Domains 4–5
mef.Qh	mef.Qrh	W/m^3	Electromagnetic heating	Domains 2–3
mef.Qh	mef.Qrh	W/m^3	Electromagnetic heating	Domain 1
mef.Qh	mef.Qrh	W/m^3	Electromagnetic heating	Domains 4–5
mef.Qsh	0	W/m^2	Surface electromagnetic heating	Boundaries 4–6, 8, 10–16, 18–19
mef.Qsh	0	W/m^2	Surface electromagnetic heating	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.Qsh	0	W/m^2	Surface electromagnetic heating	Boundaries 22, 25
mef.tAdepx	tA2x	Wb/m	Tangential magnetic vector potential, x component	Boundaries 4–6, 8, 10–16, 18–19
mef.tAdepy	tA2y	Wb/m	Tangential magnetic vector potential, y component	Boundaries 4–6, 8, 10–16, 18–19
mef.tAdepz	tA2z	Wb/m	Tangential magnetic vector potential, z component	Boundaries 4–6, 8, 10–16, 18–19
mef.tAdepx	tA2x	Wb/m	Tangential magnetic vector potential, x component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.tAdepy	tA2y	Wb/m	Tangential magnetic vector potential, y	Boundaries 1–3, 7, 9, 17, 20–21, 23–

Name	Expression	Unit	Description	Selection
			component	24, 26–31
mef.tAdepz	tA2z	Wb/m	Tangential magnetic vector potential, z component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.tAdepz	tA2z	Wb/m	Tangential magnetic vector potential, z component	Boundaries 22, 25
mef.tAdepz	tA2z	Wb/m	Tangential magnetic vector potential, z component	Boundaries 22, 25
mef.tAdepz	tA2z	Wb/m	Tangential magnetic vector potential, z component	Boundaries 22, 25
mef.tAx	mef.tAdepz	Wb/m	Tangential magnetic vector potential, x component	Boundaries 4–6, 8, 10–16, 18–19
mef.tAy	mef.tAdepz	Wb/m	Tangential magnetic vector potential, y component	Boundaries 4–6, 8, 10–16, 18–19
mef.tAz	mef.tAdepz	Wb/m	Tangential magnetic vector potential, z component	Boundaries 4–6, 8, 10–16, 18–19
mef.tAx	mef.tAdepz	Wb/m	Tangential magnetic vector potential, x component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.tAy	mef.tAdepz	Wb/m	Tangential magnetic vector potential, y component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.tAz	mef.tAdepz	Wb/m	Tangential magnetic vector potential, z component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.tAx	mef.tAdepz	Wb/m	Tangential magnetic vector potential, x component	Boundaries 22, 25
mef.tAy	mef.tAdepz	Wb/m	Tangential magnetic vector potential, y component	Boundaries 22, 25

Name	Expression	Unit	Description	Selection
mef.tAz	mef.tAdepz	Wb/m	Tangential magnetic vector potential, z component	Boundaries 22, 25
mef.mfenx	dnx	1	Normal vector, x component	Boundaries 4–5, 10, 12
mef.mfeny	dny	1	Normal vector, y component	Boundaries 4–5, 10, 12
mef.mfenz	dnz	1	Normal vector, z component	Boundaries 4–5, 10, 12
mef.mfenx	dnx	1	Normal vector, x component	Boundaries 1–3, 7, 9, 17
mef.mfeny	dny	1	Normal vector, y component	Boundaries 1–3, 7, 9, 17
mef.mfenz	dnz	1	Normal vector, z component	Boundaries 1–3, 7, 9, 17
mef.mfenx	dnx	1	Normal vector, x component	Boundaries 22, 25
mef.mfeny	dny	1	Normal vector, y component	Boundaries 22, 25
mef.mfenz	dnz	1	Normal vector, z component	Boundaries 22, 25
mef.unTx	0	Pa	Maxwell upward surface stress tensor, x component	Boundaries 4–5, 10, 12
mef.unTy	0	Pa	Maxwell upward surface stress tensor, y component	Boundaries 4–5, 10, 12
mef.unTz	0	Pa	Maxwell upward surface stress tensor, z component	Boundaries 4–5, 10, 12
mef.unTx	0	Pa	Maxwell upward surface stress tensor, x component	Boundaries 1–3, 7, 9, 17
mef.unTy	0	Pa	Maxwell upward surface stress tensor, y component	Boundaries 1–3, 7, 9, 17
mef.unTz	0	Pa	Maxwell upward surface stress tensor, z component	Boundaries 1–3, 7, 9, 17

Name	Expression	Unit	Description	Selection
mef.unTx	0	Pa	Maxwell upward surface stress tensor, x component	Boundaries 22, 25
mef.unTy	0	Pa	Maxwell upward surface stress tensor, y component	Boundaries 22, 25
mef.unTz	0	Pa	Maxwell upward surface stress tensor, z component	Boundaries 22, 25
mef.unTx	mef.unTmx+mef.unTex	Pa	Maxwell upward surface stress tensor, x component	Boundaries 6, 8, 11, 13–16, 18–19
mef.unTy	mef.unTmy+mef.unTey	Pa	Maxwell upward surface stress tensor, y component	Boundaries 6, 8, 11, 13–16, 18–19
mef.unTz	mef.unTmz+mef.unTez	Pa	Maxwell upward surface stress tensor, z component	Boundaries 6, 8, 11, 13–16, 18–19
mef.unTx	mef.unTmx+mef.unTex	Pa	Maxwell upward surface stress tensor, x component	Boundaries 20–21, 23–24, 26–31
mef.unTy	mef.unTmy+mef.unTey	Pa	Maxwell upward surface stress tensor, y component	Boundaries 20–21, 23–24, 26–31
mef.unTz	mef.unTmz+mef.unTez	Pa	Maxwell upward surface stress tensor, z component	Boundaries 20–21, 23–24, 26–31
mef.dnTx	mef.dnTmx+mef.dnTex	Pa	Maxwell downward surface stress tensor, x component	Boundaries 4–5, 10, 12
mef.dnTy	mef.dnTmy+mef.dnTey	Pa	Maxwell downward surface stress tensor, y component	Boundaries 4–5, 10, 12
mef.dnTz	mef.dnTmz+mef.dnTez	Pa	Maxwell downward surface stress tensor, z component	Boundaries 4–5, 10, 12
mef.dnTx	mef.dnTmx+mef.dnTex	Pa	Maxwell downward surface stress tensor, x component	Boundaries 1–3, 7, 9, 17
mef.dnTy	mef.dnTmy+mef.dnTey	Pa	Maxwell downward surface stress tensor, y component	Boundaries 1–3, 7, 9, 17

Name	Expression	Unit	Description	Selection
			y component	1–3, 7, 9, 17
mef.dnTz	mef.dnTmz+mef.dnTez	Pa	Maxwell downward surface stress tensor, z component	Boundaries 1–3, 7, 9, 17
mef.dnTx	mef.dnTmx+mef.dnTex	Pa	Maxwell downward surface stress tensor, x component	Boundaries 22, 25
mef.dnTy	mef.dnTmy+mef.dnTey	Pa	Maxwell downward surface stress tensor, y component	Boundaries 22, 25
mef.dnTz	mef.dnTmz+mef.dnTez	Pa	Maxwell downward surface stress tensor, z component	Boundaries 22, 25
mef.dnTx	mef.dnTmx+mef.dnTex	Pa	Maxwell downward surface stress tensor, x component	Boundaries 6, 8, 11, 13–16, 18–19
mef.dnTy	mef.dnTmy+mef.dnTey	Pa	Maxwell downward surface stress tensor, y component	Boundaries 6, 8, 11, 13–16, 18–19
mef.dnTz	mef.dnTmz+mef.dnTez	Pa	Maxwell downward surface stress tensor, z component	Boundaries 6, 8, 11, 13–16, 18–19
mef.dnTx	mef.dnTmx+mef.dnTex	Pa	Maxwell downward surface stress tensor, x component	Boundaries 20–21, 23–24, 26–31
mef.dnTy	mef.dnTmy+mef.dnTey	Pa	Maxwell downward surface stress tensor, y component	Boundaries 20–21, 23–24, 26–31
mef.dnTz	mef.dnTmz+mef.dnTez	Pa	Maxwell downward surface stress tensor, z component	Boundaries 20–21, 23–24, 26–31
mef.unx	unx		Normal vector up direction, x component	Boundaries 4–6, 8, 10–16, 18–19
mef.uny	uny		Normal vector up direction, y component	Boundaries 4–6, 8, 10–16, 18–19
mef.unz	unz		Normal vector up direction, z component	Boundaries 4–6, 8, 10–16, 18–19

Name	Expression	Unit	Description	Selection
mef.unx	unx		Normal vector up direction, x component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.uny	uny		Normal vector up direction, y component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.unz	unz		Normal vector up direction, z component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.unx	unx		Normal vector up direction, x component	Boundaries 22, 25
mef.uny	uny		Normal vector up direction, y component	Boundaries 22, 25
mef.unz	unz		Normal vector up direction, z component	Boundaries 22, 25
mef.dnx	dnx		Normal vector down direction, x component	Boundaries 4–6, 8, 10–16, 18–19
mef.dny	dny		Normal vector down direction, y component	Boundaries 4–6, 8, 10–16, 18–19
mef.dnz	dnz		Normal vector down direction, z component	Boundaries 4–6, 8, 10–16, 18–19
mef.dnx	dnx		Normal vector down direction, x component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.dny	dny		Normal vector down direction, y component	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.dnz	dnz		Normal vector down direction, z component	Boundaries 1–3, 7, 9, 17, 20–21, 23–

Name	Expression	Unit	Description	Selection
				24, 26–31
mef.dnx	dnx		Normal vector down direction, x component	Boundaries 22, 25
mef.dny	dny		Normal vector down direction, y component	Boundaries 22, 25
mef.dnz	dnz		Normal vector down direction, z component	Boundaries 22, 25
mef.dWe	mef.We	J/m ³	Integrand for total electric energy	Domains 2–3
mef.dWe	mef.We	J/m ³	Integrand for total electric energy	Domain 1
mef.dWe	mef.We	J/m ³	Integrand for total electric energy	Domains 4–5
mef.We	0.5*epsilon0_const*((mef.epsilonrxx*mef.Ex+mef.epsilonrxy*mef.Ey+mef.epsilonrxz*mef.Ez)*mef.Ex+(mef.epsilonryx*mef.Ex+mef.epsilonryy*mef.Ey+mef.epsilonryz*mef.Ez)*mef.Ey+(mef.epsilonrxx*mef.Ex+mef.epsilonrxy*mef.Ey+mef.epsilonrzz*mef.Ez)*mef.Ez)	J/m ³	Electric energy density	Domains 2–3
mef.We	0.5*epsilon0_const*((mef.epsilonrxx*mef.Ex+mef.epsilonrxy*mef.Ey+mef.epsilonrxz*mef.Ez)*mef.Ex+(mef.epsilonryx*mef.Ex+mef.epsilonryy*mef.Ey+mef.epsilonryz*mef.Ez)*mef.Ey+(mef.epsilonrxx*mef.Ex+mef.epsilonrxy*mef.Ey+mef.epsilonrzz*mef.Ez)*mef.Ez)	J/m ³	Electric energy density	Domain 1
mef.We	0.5*epsilon0_const*((mef.epsilonrxx*mef.Ex+mef.epsilonrxy*mef.Ey+mef.epsilonrxz*mef.Ez)*mef.Ex+(mef.epsilonryx*mef.Ex+mef.	J/m ³	Electric energy density	Domains 4–5

Name	Expression	Unit	Description	Selection
	$\epsilon_{ryy} m_{ey} + \epsilon_{ryz} m_{ez} + (\epsilon_{rxz} m_{ex} + \epsilon_{rxy} m_{ey} + \epsilon_{rzz} m_{ez}) m_{ez}$			
mef.dWm	mef.Wm	J/m ³	Integrand for total magnetic energy	Domains 2–3
mef.dWm	mef.Wm	J/m ³	Integrand for total magnetic energy	Domain 1
mef.dWm	mef.Wm	J/m ³	Integrand for total magnetic energy	Domains 4–5
mef.Wm	$0.5 \mu_0 \text{const} ((m_{rx} m_{hx} + m_{rx} m_{hy} + m_{rx} m_{hz}) m_{hx} + (m_{ry} m_{hx} + m_{ry} m_{hy} + m_{ry} m_{hz}) m_{hy} + (m_{rz} m_{hx} + m_{rz} m_{hy} + m_{rz} m_{hz}) m_{hz})$	J/m ³	Magnetic energy density	Domains 2–3
mef.Wm	$0.5 \mu_0 \text{const} ((m_{rx} m_{hx} + m_{rx} m_{hy} + m_{rx} m_{hz}) m_{hx} + (m_{ry} m_{hx} + m_{ry} m_{hy} + m_{ry} m_{hz}) m_{hy} + (m_{rz} m_{hx} + m_{rz} m_{hy} + m_{rz} m_{hz}) m_{hz})$	J/m ³	Magnetic energy density	Domain 1
mef.Wm	$0.5 \mu_0 \text{const} ((m_{rx} m_{hx} + m_{rx} m_{hy} + m_{rx} m_{hz}) m_{hx} + (m_{ry} m_{hx} + m_{ry} m_{hy} + m_{ry} m_{hz}) m_{hy} + (m_{rz} m_{hx} + m_{rz} m_{hy} + m_{rz} m_{hz}) m_{hz})$	J/m ³	Magnetic energy density	Domains 4–5
mef.Qrh	$m_{jx} m_{ex} + m_{jy} m_{ey} + m_{jz} m_{ez}$	W/m ³	Resistive losses	Domains 2–3
mef.Qrh	$m_{jx} m_{ex} + m_{jy} m_{ey} + m_{jz} m_{ez}$	W/m ³	Resistive losses	Domain 1

Name	Expression	Unit	Description	Selection
mef.Qrh	$\text{mef.Jx} * \text{mef.Ex} + \text{mef.Jy} * \text{mef.Ey} + \text{mef.Jz} * \text{mef.Ez}$	W/m^3	Resistive losses	Domains 4–5
mef.FLTzx	$\text{mef.Bz} * \text{mef.Jy} - \text{mef.By} * \text{mef.Jz}$	N/m^3	Lorentz force contribution, x component	Domains 2–3
mef.FLTzy	$-\text{mef.Bz} * \text{mef.Jx} + \text{mef.Bx} * \text{mef.Jz}$	N/m^3	Lorentz force contribution, y component	Domains 2–3
mef.FLTzz	$\text{mef.By} * \text{mef.Jx} - \text{mef.Bx} * \text{mef.Jy}$	N/m^3	Lorentz force contribution, z component	Domains 2–3
mef.FLTzx	$\text{mef.Bz} * \text{mef.Jy} - \text{mef.By} * \text{mef.Jz}$	N/m^3	Lorentz force contribution, x component	Domain 1
mef.FLTzy	$-\text{mef.Bz} * \text{mef.Jx} + \text{mef.Bx} * \text{mef.Jz}$	N/m^3	Lorentz force contribution, y component	Domain 1
mef.FLTzz	$\text{mef.By} * \text{mef.Jx} - \text{mef.Bx} * \text{mef.Jy}$	N/m^3	Lorentz force contribution, z component	Domain 1
mef.FLTzx	$\text{mef.Bz} * \text{mef.Jy} - \text{mef.By} * \text{mef.Jz}$	N/m^3	Lorentz force contribution, x component	Domains 4–5
mef.FLTzy	$-\text{mef.Bz} * \text{mef.Jx} + \text{mef.Bx} * \text{mef.Jz}$	N/m^3	Lorentz force contribution, y component	Domains 4–5
mef.FLTzz	$\text{mef.By} * \text{mef.Jx} - \text{mef.Bx} * \text{mef.Jy}$	N/m^3	Lorentz force contribution, z component	Domains 4–5
mef.Pox	$\text{mef.Hz} * \text{mef.Ey} - \text{mef.Hy} * \text{mef.Ez}$	W/m^2	Power flow, x component	Domains 2–3
mef.Poy	$-\text{mef.Hz} * \text{mef.Ex} + \text{mef.Hx} * \text{mef.Ez}$	W/m^2	Power flow, y component	Domains 2–3
mef.Poz	$\text{mef.Hy} * \text{mef.Ex} - \text{mef.Hx} * \text{mef.Ey}$	W/m^2	Power flow, z component	Domains 2–3
mef.Pox	$\text{mef.Hz} * \text{mef.Ey} - \text{mef.Hy} * \text{mef.Ez}$	W/m^2	Power flow, x component	Domain 1
mef.Poy	$-\text{mef.Hz} * \text{mef.Ex} + \text{mef.Hx} * \text{mef.Ez}$	W/m^2	Power flow, y component	Domain 1

Name	Expression	Unit	Description	Selection
	ef.Ez			
mef.Poz	$\text{mef.Hy} * \text{mef.Ex} - \text{mef.Hx} * \text{mef.Ey}$	W/m^2	Power flow, z component	Domain 1
mef.Pox	$\text{mef.Hz} * \text{mef.Ey} - \text{mef.Hy} * \text{mef.Ez}$	W/m^2	Power flow, x component	Domains 4–5
mef.Poy	$-\text{mef.Hz} * \text{mef.Ex} + \text{mef.Hx} * \text{mef.Ez}$	W/m^2	Power flow, y component	Domains 4–5
mef.Poz	$\text{mef.Hy} * \text{mef.Ex} - \text{mef.Hx} * \text{mef.Ey}$	W/m^2	Power flow, z component	Domains 4–5
mef.nPo	$(\text{mef.Hz} * \text{mef.Ey} - \text{mef.Hy} * \text{mef.Ez}) * \text{mef.nx} + (-\text{mef.Hz} * \text{mef.Ex} + \text{mef.Hx} * \text{mef.Ez}) * \text{mef.ny} + (\text{mef.Hy} * \text{mef.Ex} - \text{mef.Hx} * \text{mef.Ey}) * \text{mef.nz}$	W/m^2	Power outflow	Boundaries 4–6, 8, 10–16, 18–19
mef.nPo	$(\text{mef.Hz} * \text{mef.Ey} - \text{mef.Hy} * \text{mef.Ez}) * \text{mef.nx} + (-\text{mef.Hz} * \text{mef.Ex} + \text{mef.Hx} * \text{mef.Ez}) * \text{mef.ny} + (\text{mef.Hy} * \text{mef.Ex} - \text{mef.Hx} * \text{mef.Ey}) * \text{mef.nz}$	W/m^2	Power outflow	Boundaries 1–3, 7, 9, 17, 20–21, 23–24, 26–31
mef.nPo	$(\text{mef.Hz} * \text{mef.Ey} - \text{mef.Hy} * \text{mef.Ez}) * \text{mef.nx} + (-\text{mef.Hz} * \text{mef.Ex} + \text{mef.Hx} * \text{mef.Ez}) * \text{mef.ny} + (\text{mef.Hy} * \text{mef.Ex} - \text{mef.Hx} * \text{mef.Ey}) * \text{mef.nz}$	W/m^2	Power outflow	Boundaries 22, 25
mef.alc1.mininput_temperature	model.input.mininput_temperature	K	Temperature	Domains 1–5
mef.alc1.mininput_pressure	1[atm]	Pa	Absolute pressure	Domains 1–5
mef.alc1.mininput_strainreferencetemperature	model.input.mininput_strainreferencetemperature	K	Strain reference temperature	Domains 1–5

Shape functions

Name	Shape function	Unit	Description	Shape frame	Selection
A2x	Curl (Quadratic)	Wb/m	Magnetic vector potential, x component	Material	Domains 2–3


Name	Shape function	Unit	Description	Shape frame	Selection
A2y	Curl (Quadratic)	Wb/m	Magnetic vector potential, y component	Material	Domains 2–3
A2z	Curl (Quadratic)	Wb/m	Magnetic vector potential, z component	Material	Domains 2–3
A2x	Curl (Quadratic)	Wb/m	Magnetic vector potential, x component	Material	Domain 1
A2y	Curl (Quadratic)	Wb/m	Magnetic vector potential, y component	Material	Domain 1
A2z	Curl (Quadratic)	Wb/m	Magnetic vector potential, z component	Material	Domain 1
A2x	Curl (Quadratic)	Wb/m	Magnetic vector potential, x component	Material	Domains 4–5
A2y	Curl (Quadratic)	Wb/m	Magnetic vector potential, y component	Material	Domains 4–5
A2z	Curl (Quadratic)	Wb/m	Magnetic vector potential, z component	Material	Domains 4–5
V2	Lagrange (Quadratic)	V	Electric potential	Material	Domains 2–3
V2	Lagrange (Quadratic)	V	Electric potential	Material	Domain 1
V2	Lagrange (Quadratic)	V	Electric potential	Material	Domains 4–5

Weak expressions

Weak expression	Integration frame	Selection
$\text{mef.d}^*(\text{mef.Jx}^*\text{test}(V2x)+\text{mef.Jy}^*\text{test}(V2y)+\text{mef.Jz}^*\text{test}(V2z))$	Material	Domains 2–3
$\text{mef.d}^*(\text{mef.Jx}^*\text{test}(V2x)+\text{mef.Jy}^*\text{test}(V2y)+\text{mef.Jz}^*\text{test}(V2z))$	Material	Domain 1
$\text{mef.d}^*(\text{mef.Jx}^*\text{test}(V2x)+\text{mef.Jy}^*\text{test}(V2y)+\text{mef.Jz}^*\text{test}(V2z))$	Material	Domains 4–5
$\text{mef.d}^*(-\text{mef.Hx}^*\text{test}(\text{curlA2x})-\text{mef.Hy}^*\text{test}(\text{curlA2y})-\text{mef.Hz}^*\text{test}(\text{curlA2z})+\text{mef.Jx}^*\text{test}(A2x)+\text{mef.Jy}^*\text{test}(A2y)+\text{mef.Jz}^*\text{test}(A2z))$	Material	Domains 2–3

Weak expression	Integration frame	Selection
mef.d*(-mef.Hx*test(curlA2x)-mef.Hy*test(curlA2y)-mef.Hz*test(curlA2z)+mef.Jx*test(A2x)+mef.Jy*test(A2y)+mef.Jz*test(A2z))	Material	Domain 1
mef.d*(-mef.Hx*test(curlA2x)-mef.Hy*test(curlA2y)-mef.Hz*test(curlA2z)+mef.Jx*test(A2x)+mef.Jy*test(A2y)+mef.Jz*test(A2z))	Material	Domains 4–5

1.4.2 Magnetic Insulation 1



Magnetic Insulation 1

Selection

Geometric entity level	Boundary
Selection	Boundaries 2–3, 5, 9, 17, 22, 25

Equations

$$\mathbf{n} \times \mathbf{A} = 0$$

Settings

Settings

Description	Value
Apply reaction terms on	All physics (symmetric)
Use weak constraints	0

Variables

Name	Expression	Unit	Description	Selection
------	------------	------	-------------	-----------

Name	Expression	Unit	Description	Selection
mef.Jsx	$(\text{up}(\text{mef.Hz}) - \text{down}(\text{mef.Hz})) * \text{mef.dny} + (-\text{up}(\text{mef.Hy}) + \text{down}(\text{mef.Hy})) * \text{mef.dnz}$	A/m	Surface current density, x component	Boundaries 2–3, 5, 9, 17, 22, 25
mef.Jsy	$(-\text{up}(\text{mef.Hz}) + \text{down}(\text{mef.Hz})) * \text{mef.dnx} + (\text{up}(\text{mef.Hx}) - \text{down}(\text{mef.Hx})) * \text{mef.dnz}$	A/m	Surface current density, y component	Boundaries 2–3, 5, 9, 17, 22, 25
mef.Jsz	$(\text{up}(\text{mef.Hy}) - \text{down}(\text{mef.Hy})) * \text{mef.dnx} + (-\text{up}(\text{mef.Hx}) + \text{down}(\text{mef.Hx})) * \text{mef.dny}$	A/m	Surface current density, z component	Boundaries 2–3, 5, 9, 17, 22, 25
mef.mi1.A0x	0	Wb/m	Magnetic vector potential, x component	Boundaries 2–3, 5, 9, 17, 22, 25
mef.mi1.A0y	0	Wb/m	Magnetic vector potential, y component	Boundaries 2–3, 5, 9, 17, 22, 25
mef.mi1.A0z	0	Wb/m	Magnetic vector potential, z component	Boundaries 2–3, 5, 9, 17, 22, 25


Shape functions

Name	Shape function	Unit	Description	Shape frame	Selection
mef.psi	Lagrange (Quadratic)	A/m	Divergence condition variable	Material	Boundaries 2–3, 5, 9, 17, 22, 25

Constraints

Constraint	Constraint force	Shape function	Selection
mef.mi1.A0x-mef.tAdepx	test(mef.mi1.A0x-mef.tAdepx)	Curl (Quadratic)	Boundaries 2–3, 5, 9, 17, 22, 25
mef.mi1.A0y-mef.tAdepy	test(mef.mi1.A0y-mef.tAdepy)	Curl (Quadratic)	Boundaries 2–3, 5, 9, 17, 22, 25
mef.mi1.A0z-mef.tAdepz	test(mef.mi1.A0z-mef.tAdepz)	Curl (Quadratic)	Boundaries 2–3, 5, 9, 17, 22, 25

Electric Insulation 1



Electric Insulation 1

Selection

Geometric entity level	Boundary
Selection	Boundaries 2–3, 9, 17, 22, 25

Equations

$$\mathbf{n} \cdot \mathbf{J} = 0$$


Variables

Name	Expression	Unit	Description	Selection
mef.nJ	0	A/m ²	Normal current density	Boundaries 2–3, 9, 17, 22, 25

Shape functions

Name	Shape function	Unit	Description	Shape frame	Selection
V2	Lagrange (Quadratic)	V	Electric potential	Material	No boundaries

Ground 1



Ground 1

Selection

Geometric entity level	Boundary
Selection	Boundary 5

Equations

$$V = 0$$

Settings

Settings

Description	Value
Electric potential	0
Apply reaction terms on	All physics (symmetric)
Use weak constraints	0


Variables

Name	Expression	Unit	Description	Selection
mef.nJ	mef.unx*(down(mef.Jx)-up(mef.Jx))+mef.uny*(down(mef.Jy)-up(mef.Jy))+mef.unz*(down(mef.Jz)-up(mef.Jz))	A/m^2	Normal current density	Boundary 5
mef.V0	0	V	Electric potential	Boundary 5

Constraints

Constraint	Constraint force	Shape function	Selection
mef.V0-V2	test(mef.V0-V2)	Lagrange (Quadratic)	Boundary 5

1.4.3 Initial Values 1



Initial Values 1

Selection


Geometric entity level	Domain
Selection	Domains 1–5

Settings

Settings

Description	Value
Magnetic vector potential	{0, 0, 0}
Electric potential	0

1.4.4 Magnetic Insulation 2



Magnetic Insulation 2

Selection

Geometric entity level	Boundary
Selection	Boundary 12

Equations

$$\mathbf{n} \times \mathbf{A} = 0$$

Settings

Settings

Description	Value
Apply reaction terms on	All physics (symmetric)
Use weak constraints	0

Variables

Name	Expression	Unit	Description	Selection
mef.Jsx	(up(mef.Hz)-down(mef.Hz))*mef.dny+(-up(mef.Hy)+down(mef.Hy))*mef.dnz	A/m	Surface current density, x component	Boundary 12
mef.Jsy	(-up(mef.Hz)+down(mef.Hz))*mef.dnx+(up(mef.Hx)-down(mef.Hx))*mef.dnz	A/m	Surface current density, y component	Boundary 12

Name	Expression	Unit	Description	Selection
mef.Jsz	(up(mef.Hy)-down(mef.Hy))*mef.dnx+(-up(mef.Hx)+down(mef.Hx))*mef.dny	A/m	Surface current density, z component	Boundary 12
mef.mi2.A0x	0	Wb/m	Magnetic vector potential, x component	Boundary 12
mef.mi2.A0y	0	Wb/m	Magnetic vector potential, y component	Boundary 12
mef.mi2.A0z	0	Wb/m	Magnetic vector potential, z component	Boundary 12

Shape functions

Name	Shape function	Unit	Description	Shape frame	Selection
mef.psi	Lagrange (Quadratic)	A/m	Divergence condition variable	Material	Boundary 12

Constraints

Constraint	Constraint force	Shape function	Selection
mef.mi2.A0x-mef.tAdepx	test(mef.mi2.A0x-mef.tAdepx)	Curl (Quadratic)	Boundary 12
mef.mi2.A0y-mef.tAdepy	test(mef.mi2.A0y-mef.tAdepy)	Curl (Quadratic)	Boundary 12
mef.mi2.A0z-mef.tAdepz	test(mef.mi2.A0z-mef.tAdepz)	Curl (Quadratic)	Boundary 12

Electric Insulation 1

Selection

Geometric entity level	Boundary
Selection	No boundaries

Equations


$$\mathbf{n} \cdot \mathbf{J} = 0$$

Shape functions

Name	Shape function	Unit	Description	Shape frame	Selection
V2	Lagrange	V	Electric potential	Material	No boundaries

Name	Shape function	Unit	Description	Shape frame	Selection
	(Quadratic)				

Normal Current Density 1



Normal Current Density 1

Selection

Geometric entity level	Boundary
Selection	Boundary 12

Equations

$$-\mathbf{n} \cdot \mathbf{J} = j_n$$

Settings

Settings

Description	Value
Type	Inward current density
Normal current density	411696000*3


Variables

Name	Expression	Unit	Description	Selection
mef.nj	mef.mi2.ncd1.nj	A/m^2	Normal current density	Boundary 12
mef.mi2.ncd1.nj	1235088000	A/m^2	Normal current density	Boundary 12

Weak expressions

Weak expression	Integration frame	Selection
mef.d*mef.mi2.ncd1.nj*test(V2)	Material	Boundary 12

1.4.5 Perfect Magnetic Conductor 1



Perfect Magnetic Conductor 1

Selection

Geometric entity level	Boundary
Selection	Boundaries 1, 4, 7, 10

Equations

$$\mathbf{n} \times \mathbf{H} = \mathbf{0}$$

$$\mathbf{n} \cdot \mathbf{J} = 0$$


Shape functions

Name	Shape function	Unit	Description	Shape frame	Selection
A2x	Curl (Quadratic)	Wb/m	Magnetic vector potential, x component	Material	No boundaries
A2y	Curl (Quadratic)	Wb/m	Magnetic vector potential, y component	Material	No boundaries
A2z	Curl (Quadratic)	Wb/m	Magnetic vector potential, z component	Material	No boundaries

1.5 Mesh 1

Mesh statistics

Property	Value
Minimum element quality	0.1198
Average element quality	0.7507
Tetrahedral elements	1323477
Triangular elements	68242
Edge elements	1938
Vertex elements	38



Mesh 1

1.5.1 Size (size)


Settings

Name	Value
Maximum element size	0.099
Minimum element size	7.2E-4
Resolution of curvature	0.4
Resolution of narrow regions	0.7
Maximum element growth rate	1.3
Predefined size	Finer
Custom element size	Custom

1.5.2 Size 2 (size2)

Selection

Geometric entity level	Domain
Selection	Domains 2–3



Size 2


Settings

Name	Value
Maximum element size	0.0020
Minimum element size	0.000324
Resolution of curvature	0.6
Resolution of curvature	Off
Resolution of narrow regions	0.5
Resolution of narrow regions	Off
Maximum element growth rate	1.3
Custom element size	Custom

1.5.3 Size 1 (size1)

Selection

Geometric entity level	Boundary
Selection	Boundaries 6, 11, 13, 19



Size 1


Settings

Name	Value
Maximum element size	0.00049
Minimum element size	0.0000324
Resolution of curvature	0.6
Resolution of curvature	Off
Resolution of narrow regions	0.5
Resolution of narrow regions	Off
Maximum element growth rate	1.3
Custom element size	Custom

1.5.4 Size 3 (size3)

Selection

Geometric entity level	Domain
Selection	Domains 4–5



Size 3

Settings

Name	Value
Maximum element size	0.0018
Minimum element size	0.000324
Resolution of curvature	0.6
Resolution of curvature	Off
Resolution of narrow regions	0.5
Resolution of narrow regions	Off
Maximum element growth rate	1.3
Custom element size	Custom

1.5.5 Free Tetrahedral 1 (ftet1)

Selection

Geometric entity level	Remaining
------------------------	-----------

2 Study 1

2.1 Frequency Domain

Study settings

Property	Value
Include geometric nonlinearity	Off

Frequencies: 20 400 500 600 1000 5000

Mesh selection

Geometry	Mesh
Geometry 1 (geom1)	mesh1

Physics selection

Physics	Discretization
Magnetic and Electric Fields (mef)	physics

2.2 Solver Configurations

2.2.1 Solver 1

Compile Equations: Frequency Domain (st1)

Study and step

Name	Value
Use study	Study 1
Use study step	Frequency Domain

Dependent Variables 1 (v1)

General

Name	Value
Defined by study step	Frequency Domain

Initial values of variables solved for

Name	Value
Solution	Zero

Values of variables not solved for

Name	Value
Solution	Zero

Magnetic vector potential (mod1.A2) (mod1_A2)

General

Name	Value
Field components	{mod1.A2x, mod1.A2y, mod1.A2z}

Electric potential (mod1.V2) (mod1_V2)

General

Name	Value
Field components	mod1.V2

Stationary Solver 1 (s1)

General

Name	Value
Defined by study step	Frequency Domain

Log

Stationary Solver 1 in Solver 1 started at 28-Sep-2017 19:15:51.

Parametric solver

Linear solver

Number of degrees of freedom solved for: 10192568.

Parameter freq = 20.

Nonsymmetric matrix found.

Scales for dependent variables:

Magnetic vector potential (mod1.A2): 2

Electric potential (mod1.V2): 1

Iter	Damping	Stepsize	#Res	#Jac	#Sol	LinIt	LinErr	LinRes
1	1.0000000	0.98	1	1	1	4	0.00027	6.6e-007

Parameter freq = 400.

Iter	Damping	Stepsize	#Res	#Jac	#Sol	LinIt	LinErr	LinRes
1	1.0000000	0.9	2	2	2	9	0.00056	1.4e-006

Parameter freq = 500.

Iter	Damping	Stepsize	#Res	#Jac	#Sol	LinIt	LinErr	LinRes
1	1.0000000	0.9	3	3	3	14	0.00034	8.4e-007

Parameter freq = 600.

Iter	Damping	Stepsize	#Res	#Jac	#Sol	LinIt	LinErr	LinRes
1	1.0000000	0.89	4	4	4	19	0.00031	7.9e-007

Parameter freq = 1000.

Iter	Damping	Stepsize	#Res	#Jac	#Sol	LinIt	LinErr	LinRes
1	1.0000000	0.88	5	5	5	25	9.2e-005	2.3e-007

Parameter freq = 5000.

Iter	Damping	Stepsize	#Res	#Jac	#Sol	LinIt	LinErr	LinRes
1	1.0000000	0.82	6	6	6	32	0.00052	1.3e-006

Stationary Solver 1 in Solver 1: Solution time: 8163 s (2 hours, 16 minutes, 3 seconds)

Physical memory: 28.7 GB

Virtual memory: 30.47 GB

Parametric 1 (p1)

General

Name	Value
Defined by study step	Frequency Domain
Parameter value list	20 400 500 600 1000 5000

Fully Coupled 1 (fc1)

General

Name	Value
Linear solver	Iterative 1

Iterative 1 (i1)

General

Name	Value
Solver	FGMRES

Multigrid 1 (mg1)

Coarse Solver (cs)

Krylov Preconditioner 1 (kp1)

General

Name	Value
Solver	BiCGStab
Preconditioning	Right

3 Results

3.1 Data Sets

3.1.1 Solution 1

Selection

Geometric entity level	Domain
Selection	Geometry geom1

Solution

Name	Value
Solution	Solver 1
Model	Save Point Geometry 1

3.2 Derived Values

3.2.1 Point Evaluation 1

Selection

Geometric entity level	Point
Selection	No points

Data

Name	Value
Data set	Solution 1

Expression

Name	Value
Expression	V2
Unit	V
Description	Electric potential

3.2.2 Volume Integration 1

Selection

Geometric entity level	Domain
Selection	Domain 3

Data

Name	Value
------	-------

Name	Value
Data set	Solution 1

Expression

Name	Value
Expression	mef.Fltzy
Unit	N
Description	Lorentz force contribution, y component

3.3 Tables

3.3.1 Table 1


Volume Integration 1 (mef.Fltzy)

Table 1

freq	Lorentz force contribution, y component (N)
20	1.11165e5
400	1.1622e5
500	1.15929e5
600	1.15537e5
1000	1.13846e5
5000	1.09395e5

3.4 Plot Groups


3.4.1 2D Plot Group 2



Streamline: Magnetic flux density


3.4.2 Electric Potential (ec)

freq(6)=5000 Multislice: Lorentz force contribution, y component (N/m^3)



freq(6)=5000 Multislice: Lorentz force contribution, y component (N/m^3)

3.4.3 3D Plot Group 5



Slice: Lorentz force contribution, y component (N/m³)